GreenStuf Guide





GREENSTUF® INSULATION QUICK FACTS



Fire safety

GreenStuf polyester insulation has been independently tested and assessed to the relevant fire standards for New Zealand Building Code (NZBC) compliance, including downlights.



Durable

GreenStuf will not settle or reduce its performance over time, and is backed by a 50 year product durability warranty.



High performance

GreenStuf insulation is not affected by moisture, is naturally resistant to insect and vermin attack, and meets relevant requirements of the NZBC.



Safe to touch

GreenStuf is 100% polyester (like a duvet) so there's no nasty itching or scratching. It's completely safe and does not require protective clothing when handling or installing.



Safer indoor air quality

GreenStuf does not contain any added chemicals such as formaldehydebased binders or fibres that can be breathed into your lungs.



Recycled content and recyclable

GreenStuf is manufactured using a minimum of 50% previously recycled polyester fibre (from PET plastic) and is reusable and recyclable at end of life.



Local and proud

GreenStuf is proudly made in New Zealand for Kiwi homes.



Breathe easier

GreenStuf has been independently endorsed by Asthma New Zealand and accepted into their Breathe Easy programme as a product considered safe for New Zealanders living with asthma.



Quality

GreenStuf is made under tightly-controlled manufacturing processes. To ensure GreenStuf is consistently of the highest quality, Autex Industries employs a team of experts to run a full-scale product testing laboratory on site.

GREENSTUF[®] INSULATION - STOCKED PRODUCT LIST

Product	Product Name	Thickness	Width
Walls (in order of thickness)			
PMW1358	R 1.3 MASONRY WALL BLANKET (8.35m2)	45mm	580mm
PSB360	R 1.0 ASB 3 ACOUSTIC INSULATION (19.8m2)	50mm	600mm
PGFPW205670	R 2.0 RETRO-FIT WALL PADS (6.5m2)	70mm	560mm
PSB660	R 1.6 ASB 6 ACOUSTIC INSULATION (13.3m2)	75mm	600mm
PQSSR58	R 1.8 SOUND SOLUTION ROLL FORM (25m2)	90mm	580mm
PGFPW2256	R 2.2 WALL PAD INSULATION (11.69m2)	90mm	560mm
PGFPW2556	R 2.5 WALL PAD INSULATION (6.5m2)	90mm	560mm
PTL2658	R 2.6 140MM ROLL FORM (20m2)	140mm	580mm
PTL2958140T	R 2.9 140MM ROLL FORM (17m2)	140mm	580mm
Ceiling (in order of R - Value)			
PTL1887	R 1.8 ROLL FORM (25m2)	100mm	870mm
PTL2658	R 2.6 140MM ROLL FORM (20m2)	140mm	580mm
PTL2958140T	R 2.9 140MM ROLL FORM (17m2)	140mm	580mm
PSR2987	R 2.9 SKILLION ROOF BLANKET SLABS (8.35m2)	115mm	870mm
PTL3287	R 3.2 ROLL FORM (17m2)	190mm	870mm
PGFPC3410	R 3.4 CEILING PADS (5.25m2)	190mm	430mm
PSR3687	R 3.6 SKILLION ROOF BLANKET SLABS (8.35m2)	165mm	870mm
PTL3687	R 3.6 ROLL FORM (14m2)	210mm	870mm
PTL4187	R 4.1 ROLL FORM (8.7m2)	210mm	870mm
Underfloor			
PUFA1550	R1.5 UNDERFLOOR (20m2)	100mm	500mm
PUFA1560	R 1.5 UNDERFLOOR (20m2)	100mm	600mm
PUFA1850	R 1.8 UNDERFLOOR (17.5m2)	100mm	500mm
PUFA1860	R 1.8 UNDERFLOOR (17.5m2)	100mm	600mm
Acoustic			
PSB360	ASB 3 GIB Approved (580GSM) (19.8m2)	50mm	600mm
PSB660	ASB 6 GIB Approved (1050GSM) (13.3m2)	75mm	600mm
PQSSR58	SOUND SOLUTION ROLL FORM GIB Approved (25m2)	90mm	580mm
PQSSIT56	SOUND SOLUTION IT ROLL FORM GIB Approved (18m2)	90mm	560mm
PQBB60	BAFFLE BLOCK (10m2)	100mm	600mm
PAB875SB	AAB 35-25 BLACK 1200x2400mm SLAB (x10)	25mm	28.8m2
PAB1750S	AAB 35-50 WHITE 1200x2400mm SLAB (x5)	50mm	14.4m2
PAB1750SB	AAB 35-50 BLACK 1200x2400mm SLAB (x5)	50mm	14.4m2
PAB2000SB	AAB 20-100 BLACK 1200x2400mm SLAB (x2)	100mm	5.76 m2

GreenStuf.

AN ISO 9001, ISO 14001 AND ISO 45001 CERTIFIED COMPANY

GreenStuf Insulation Factory & Collections

40 Westpoint Drive, Hobsonvil Auckland 0618, New Zealand Freephone 0800 428 839 Phone +64 9 828 9179 Fax +64 9 828 5810 www.greenstuf.co.nz

The brand names and logos mentioned herein are registered or unregistered trademarks either owned or used under license by Autex Industries Limited or other members of the Autex Group. The contents of this document are protected by Copyright 2020 Autex Industries Ltd. All Rights Reserved.

It is the user's responsibility to determine if the product and information presented in this document is suitable for the intended application by engaging a suitably qualified consultant. The information contained in this document is correct to the best of our knowledge at the date of its publication. To verify that this document is the most current publication please check our website or contact your GreenStuf account manager.



Dan Hoy Merchant and Sales Support Upper North Island +64 21 226 5510 dan@greenstuf.co.nz



Eli Barrington Territory Manager Lower North Island +64 21 372 689 eli@greenstuf.co.nz



Hamish Whelan Territory Manager South Island +64 21 880 732 hwhelan@autex.co.nz