



# Technical Product Overview

## Surface Finishes

Available across a selection of our leading acoustic solutions, our Surface Finishes range offers a collection of modern timber, texture, pattern, and stone looks—hand selected to help you achieve natural, high-end aesthetics without the cost, weight, or rigidity of traditional materials. Surface Finishes are suitable as a decorative finish for acoustic products in retail, hospitality, and commercial interiors. When selecting Surface Finishes, please contact your Momentum account manager to discuss applications.

### Applications

Surface Finishes can be added to the below products:

- Cube™ 3/8" (9mm) and Cube 1" (24mm)
- Lanes™
- Frontier™ Acoustic Fins  
Frontier Acoustic Raft
- Groove™
- Horizon™

### Product Specifications

#### Suitable Applications

Autex Acoustics recommends specification of Surface Finishes in non-contact areas. For applications where contact is likely to occur, Autex Acoustics recommends our standard Cube™ range.

#### Acoustic Performance

Surface Finishes have been tested and found to have no impact on the acoustic performance of Autex Acoustics products. Please contact your Momentum account manager for further information if required.

#### Impact Resistance

Surface Finishes may show surface damage when subjected to impacts. We would advise against using Surface Finishes in areas where there is likely to be contact with the product.

#### Fire Ratings

Test results for 3/8" Cube and 1" Cube:

#### ASTM E-84-23a

Class A, FS:25 - SD: 250  
(Cube™ 3/8")  
RJ4479

#### CAN/ULC-S102

FS:15 - SD:65  
(Cube™ 3/8")

#### VOC Emissions

Surface Finishes has been tested for chemical emissions in accordance with ASTM D5116 and is considered a low VOC and low formaldehyde emissions product.

VOC emissions: 0.019 mg/m<sup>3</sup>  
Formaldehyde emissions:  
<0.005 mg/m<sup>3</sup>

#### Color Fastness to Light

Surface Finishes are suitable for indoor use only. Light fastness is dependent on use and exposure. Surface Finishes has been evaluated to the following standard:

ISO 105-B02:2014  
Rating: 6 (Highest = 7)

#### Light Reflectance Value (LRV) Solid Colors

Surface Finishes can be supplied in several custom color options. When selecting Surface Finishes, a sample can be provided and tested for LRV.

Please contact your Momentum account manager at the start of your project to arrange a test.

#### Fabric Care

Avoid contact with the printed surface. Do not clean the surface with any liquid, including water. Consult a specialist cleaning company for cleaning if required.

#### Finish

The acoustic product color may vary from samples and between each product batch. This is due to the inherent nature of the textile. This will not affect the color of the Surface Finishes.

#### Blemishes

Due to the nature of the raw material and the manufacturing process, flecks and other small surface blemishes may be visible on the surface of Autex Acoustics panels from time to time. This is an inherent characteristic of the textile products and is unavoidable.



---

**Service**

For further information about Surface Finishes or any other Autex Acoustics product, please contact your Momentum account manager or visit [momentumco.com](http://momentumco.com). The information contained in this document is correct to the best of our knowledge at the date of its publication. It is the user's responsibility to determine if this information is suitable for their intended application and to make sure that this document is the most current publication. You can do this by checking our website or contacting your Momentum account manager.

---

**Care and Maintenance**

Maintain in accordance with the Care and Maintenance Guide available for this product.

---

**Autex Acoustics®****M O M E N T U M**[momentumco.com](http://momentumco.com)

Instagram LinkedIn Pinterest