

Specification Guide

Vicinity™ is a fully customizable workstation screen system that creates a sanctuary for productive work.

Personalize your workspace by selecting from our curated range of styled finishes including Emma Hayes and Mirage™ designs.

Vicinity screens can be mounted using Vicinity Workstation Clamps—made from 100% recycled PET from in-house textile waste—or integrated into your own setup for ultimate flexibility.



In everything we do




Vicinity™ Workstation Screens



Path to Specification


1. Desk

What are the dimensions of the desk you are fitting to?




2. Styles

What styles are available?




3. Configuration

What details are editable?




4. Corner Treatments

What corner treatments are available?




5. Colors and Finishes

What colors and finishes are available?



6. Technical Information

What are the technical specifications?








Quick Reference

Vicinity™ Workstation Screens

A. Length	Fits 48" to 72" desks
B. Overall Height	Standard: 23 5/8"
C. Height Above Desk	Standard: 15 3/4"
D. Side Depth	18"
E. Corner Radius	Standard: 2"
F. Thickness	1/2"
G. Clamp Spacing	Max: 23 5/8" (600mm)






Ensure 1 3/8" clearance above and below edge of desk to allow for clamps




Clamps will be positioned 2" - 4" from screen edge and desk cutouts

Vicinity™ Workstation Clamps

H. Clamp Height	4 3/8"
I. Clamp Width	1 3/16"
J. Desk Thickness	Min: 9/16", Max: 1 3/16"
K. Clamping Depth	1 3/16"
L. Rear Overhang	1" (1/2" screen) 1 7/16" (1" screen)
M.Desk Edge Spacing	1/4" spacing between edge of desk and screen
N. Desk Position	3/4" from center of clamp to top of desk



For back-to-back screens, we recommend spacing desks 1 3/8" (X) apart + L + L




Check positioning of desk scallops and monitor arm positioning (if applicable) to avoid clamp interference




Styles Overview


Hedge




Modesty




Haven




Nook




Slate




Sol



Den




Crest





Hedge


- Hedge screen extends along the back edge of the desk
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length



Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"


Style Details






Modesty

- Modesty is a single screen providing increased privacy along the underside of the desk
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge and desk cutouts

Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Below Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"

Style Details







Haven

- Haven provides added privacy, with the option of a left or right return
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length

For corner treatment options, please refer to page 13



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge, desk cutouts, and corner treatments

Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Side Depth	18"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"

Style Details







Nook

- Nook provides an enclosed working space with returns on both sides of the desk
- The dimensions listed below are standard options but can be changed if needed

For corner treatment options, please refer to page 13



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge, desk cutouts, and corner treatments

Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Side Depth	18"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"


Style Details






Slate

- Slate sits along the short edge of a desk, providing separation between workspaces
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge and desk cutouts

Sizing Considerations

Length	Standard: 23 5/8" to 47 1/4" Please contact your Momentum account manager for more information.
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"


Style Details






Sol

- Sol softens a workspace with its round form, sitting at the short edge of a desk
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge and desk cutouts

Sizing Considerations

Diameter	Standard: 23 1/4" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"

Style Details







Den

- Den has the ability to fix onto adjacent desks, or provide a center divide for hardware
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length

For corner treatment options, please refer to page 13



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge, desk cutouts, and corner treatments

Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Side Depth	18"
Corner Radius	Standard: 2" Max: Half of overall height
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"

Style Details







Crest

- Crest has the ability to fix onto adjacent desks, or provide a center divide for hardware
- The dimensions listed below are standard options but can be changed if needed
- The length of this style should be equal to or shorter than the desk length

For corner treatment options, please refer to page 13



There is a 1/4" gap between the screen and the desk edge




Clamps will be positioned 2" - 4" from screen edge, desk cutouts, and corner treatments

Sizing Considerations

Length	Fits 48" to 72" desks
Overall Height	Standard: 23 5/8" Min: 7 7/8", Max: 47 1/4"
Height Above Desk	Standard: 15 3/4" Min: 3 15/16", Max: 23 5/8"
Side Depth	18"
Thickness	1/2"
Clamp Spacing	Max: 23 5/8"
Desk Thickness	Min: 9/16", Max: 1 3/16"

Style Details






Detail Considerations


Standard Miter

Standard Miter is a simple corner detail. Best suited to desks with sharp corner edge.




Comb Fold

Comb Fold is a unique corner detail. Best suited to desks with sharp corner edge.




Kerf Radius

Kerf Radius is a curved corner detail. Best suited to desks with 2\" - 4\" radius corner edge.



Groove Radius

Groove Radius is a curved corner detail. Best suited to desks with 2\" - 4\" radius corner edge.





Colors

Cube™ Colors

Vicinity Workstation Screens are available in the full range of Cube™ colors.



Pavilion



Opera



Parthenon



Senado



Beehive



Terrace



Canyon



Sargazo



Savoye



Colosseum*



Rushmore*



Flatiron*



Cavalier



Falling Water



Muralla



Pinnacle



Acros



Highland




Gherkin



Tree House



Caspian



Herald



Empire



Petronas

*Mirage finishing option is not recommended with Colosseum, Rushmore, or Flatiron

Vicinity Clamp

These innovative clamps are designed to mount the modular Vicinity™ Workstation Screens, non-destructively, to any desk. Vicinity Workstation Clamps are made from 100% recycled PET through our industry-first pelletizing process called RePET.



Black



Surface Finishes

Emma Hayes

Colored core

Beautiful textiles collide with beautiful acoustics in the Vicinity x Emma Hayes Workstation Screens range.

Available in a curated range of designs from artist Emma Hayes and printed on a colored core.

Designs are available up to 72" and are printed double-sided. The colored core panel edge will be exposed.



Dispersion 'Air'
(Opera core)



Dispersion 'Storm'
(Opera core)



Dispersion 'Dusk'
(Terrace core)



Dispersion 'Terra'
(Canyon core)



Wash 'Air'
(Opera core)



Wash 'Dusk'
(Terrace core)



Wash 'Ocean'
(Muralla core)



Wash 'Forest'
(Gherkin core)



Dune 'Air'
(Opera core)



Dune 'Dusk'
(Terrace core)



Dune 'Ocean'
(Muralla core)




Dune 'Forest'
(Gherkin core)




Color Field 'Air'
(Opera core)



Color Field 'Dusk'
(Terrace core)



Color Field 'Ocean'
(Muralla core)



Color Field 'Forest'
(Gherkin core)


Mirage™

Transform your space with Mirage™, intricately textured designs that create a sensory experience.


The six refined designs bring depth, sophistication and a sense of movement to any interior design.

Mirage finish is available up to 72", on all Cube colors, and in single and double-sided options, allowing full design flexibility.

Mirage finish is not recommended with Colosseum, Rushmore, or Flatiron. Please contact your Momentum account manager for more information.




Loom




Grasscloth




Willow



Strata



Comb



Offset



Vicinity™ Workstation Clamps

The new Vicinity Workstation Clamp is made from 100% recycled PET through a unique and industry-first pelletizing process called RePET. This process transforms in-house waste into pellets, which are injection-moulded to make more clamps and product components.

And, because the Vicinity screens and clamps are made from 100% PET, they can be easily disassembled from the fixing screws and recycled through the RePET process again and again, creating a truly circular lifecycle.



Vicinity Workstation Clamp Design Registration

NZ DES 425911 | NZ DES 425912 | US DES D1005095S |
AU DES 201915344 | AU DES 201917046 | AU DES 201915344 |
EU DES 006978144-0001



Sound Materials

We're on a positive journey towards momentous change. It's about winning for the planet and its people, making a difference for healthy generations to come.

Sustainability is ingrained in everything we do, from fibre to finish. Our commitment to doing good now and in the future drives us to continuously evolve our practices, design with integrity, and take responsibility for the impact of our products. Our five sustainability pillars reflect this ethos, guiding our actions and shaping our decisions. Together, these pillars form a system that ensures our materials, products, and processes contribute meaningfully to a more sustainable world.



01



Climate change demands climate action

We are carbon neutral in everything we do.

02



Closing the loop

We are advocates for closing the loop on waste. We design with circularity front of mind.

03



Sustainable supply chain

We carefully select responsible suppliers and take action to mitigate unethical practices, and encourage good working conditions.

04



Supporting wellbeing in buildings

All our products are made using only safe materials. No harmful chemicals are present in our products.

05



Operating a business for purpose and profit

We strive to have a positive impact on our environment, our people, and the next generation.

Credentials

Sustainability isn't just a feature—it's a foundation. Our products are independently certified by trusted third-party certifications and labels to meet rigorous environmental and performance standards.

Our products also meet criteria for WELL, LEED, Green Star, and BREEAM building rating systems, helping you achieve certification for your project.



Declare.





Our Journey to Nature Positive

We want to make a material difference to the planet and its people. That's why we're not resting on achieving carbon neutrality across the organisation and our products.

We're on a journey committed to Nature Positive, which ultimately delivers systems and products that contribute to biodiversity replenishment, carbon sequestration, and many positive environmental outcomes.

It's manufacturing that cares for human beings and the generations to come.

1967

Founded in Auckland, NZ, creating underfelt for the flooring industry.



1990

Established on-line recycling systems.



2020

Dematerialization project, which reduced raw material by 30% for core product.




2017

First Environmental Product Declarations (EPDs) were published and started measuring GHG emissions.



2012

Reclaimed waste trimmings, reducing raw material use and associated emissions.



2021

We balanced all emissions from our acoustic products to zero.



0kg



2022

We balanced all emissions from our global operations to zero.



2025

We received the first NaturePositive+ Declaration in the construction industry for our first carbon negative product we launched in New Zealand. It uses a material with a -8.6 CO₂e carbon footprint.



Technical Information

Overview

Sabin	11.84
Content	100% PET, min. 80% recycled
Form	Screen
Dimensions	Varies by design
Thickness	1/2"
Tolerance	(+/- 6%)
Origin	Fabricated in the USA

Acoustic Performance

Vicinity Workstation Screens are specifically designed to help improve acoustic privacy and reduce noise levels.

Screen Thickness	Equivalent Absorption ft² (average) Imperial Sabin
1/2"	11.84

Equivalent absorption ft² average; meaning the average sabins of absorption per ft² of screen (average 250, 500, 1000, and 2000 hz).


Fire Considerations

ASTM E-84-15a: **Class A** rating
(Test RJ4479-2)

Fire test report available on request.

Ten Year Manufacturer's Guarantee

Frequency (Hz)	125	250	500	1000	2000	4000
1/2"	3.23	7.53	10.23	11.84	15.07	17.22



Product Specifications

Microbial resistance (ASTM G21-15):
Growth rating: 0

Pattern
Non-woven. No pattern repeat.

Color fastness to light (ISO 105-B02:2014):
Rating: 6

Determination of colorfastness to rubbing (ISO 105-X12:2016):
Dry assessment: 4 - 5
Wet assessment: 4 - 5

Determination of printed Surface Finishes colorfastness to rubbing (ISO 105-X12:2016):
Dry assessment: 2 - 3
Wet assessment: 2 - 3

Average % of water vapor sorption by weight after four days:
0.4%

For care and maintenance guidance, refer to the Autex Acoustics Care and Maintenance Guide.

