



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

SECTION 1: Identification

Product identifier

Product name: Ultra Fast Anchoring Adhesive Part A

Product code:

Recommended use of the product and restriction on use

Relevant identified uses: Adhesive mortar for fastening elements

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details Manufacturer:

United States

CTS Cement Manufacturing Corporation

12442 Knott St.

Garden Grove, CA 92841

800-929-3030

info@ctsceement.com

Emergency telephone number:

United States

INFOTRAC 1-800-535-5053

International

INFOTRAC 1-352-323-3500

SECTION 2: Hazard(s) identification

GHS classification:

Respiratory or skin sensitization: Skin Sensitivity, category 1

Specific target organ toxicity - single exposure: STOT SE category 3, respiratory tract irritation

Serious eye damage/eye irritation: Eye irritation, category 2B

Label elements

Hazard Pictograms:



Signal word: Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

H335 May cause respiratory irritation.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If skin irritation persists: Get medical advice/attention.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

People who are allergic to epoxide should avoid the use of the product. Use outdoors or in a well-ventilated area.

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 97-90-5	Ethylene dimethacrylate	11.69
CAS number: 27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	6.677
CAS number: 38668-48-3	1,1'-(p-Tolylimino)dipropen-2-ol	0.9682

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First aid measures

Description of first aid measures

General notes:

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation:

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, both acute and delayed

Acute and delayed symptoms and effects:

Allergic reactions.



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

Immediate medical attention and special treatment

Specific treatment:

Treat symptomatically.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Extinguishing powder

Water spray jet

Unsuitable extinguishing media:

Full water jet.

Specific hazards during fire-fighting:

Pyrolysis products, toxic

Carbon monoxide

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit. In case of fire and/or explosion do not breathe fumes.

Special precautions:

Suppress gases/vapors/mists with water spray jet. Collect contaminated life extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions:

Avoid release to the environment. Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up:

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand Treat the recovered material as prescribed in the section on waste disposal. Retain contaminated washing water and dispose it.

Reference to other sections:

Safe handling: see section 7.

Personal protection equipment (PPE): see section 8.

Disposal: see section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. When using, do not eat, drink or smoke.

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A**Conditions for safe storage, including any incompatibilities:**

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place. Do not use for products which come into contact with the food stuffs. Storage at temperatures of 5 - 25°C.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Exposure controls**Appropriate engineering controls:**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection program. Wash hands and face before breaks and after work and take a shower if necessary. When using, do not eat or drink.

Personal protection equipment Eye and face protection:

Wear eye protection/face protection. Wear safety goggles with side shields as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Skin and body protection:

Wear suitable protective clothing.

When handling chemical substances, protective gloves must be worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0.4 mm NBR (Nitrile Rubber) >480 min (EN374)

Wearing time with permanent contact 0.5 mm NBR (Nitrile Rubber) >480 min (EN374)

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a NIOSH-certified (or equivalent) organic vapor/particulate respirator as needed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse. Draw up and observe skin protection program. When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance	Liquid; light beige color
Odor	Characteristic
Odor threshold	Not available
pH	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not applicable

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

Flash point (closed cup)	Not available
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not applicable
Vapor density	Not applicable
Density	Not available
Relative density	1.71 g/cm ³
Solubilities	Insoluble in water
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available
Decomposition temperature	Not determined
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable
Explosive properties	Not available
Oxidizing properties	Not available

Other information

Bulk density	Not available
VOC (Weight %)	70 g/l (when combined with Part B)(7%)

SECTION 10: Stability and reactivity**Reactivity:**

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

No known hazardous reactions.

Conditions to avoid:

None known.

Incompatible materials:

No information available.

Hazardous decomposition products:

None known.



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

SECTION 11: Toxicological information

Information on toxicological effects:

Name	Route	Result
Ethylene dimethacrylate	Oral	LD50 Rat: 8700 mg/kg
Methacrylic acid, monoester with propane-1,2-diol	Oral	LD50 Rat: 11200 mg/kg
	Dermal	LD50 Rabbit: >5000 mg/kg
1,1'-(p-Tolylimino)dipropan-2-ol	Oral	LD50 Rat: 27.5 mg/kg

Other information:

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

Ecotoxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Partition coefficient n-octanol/water

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A**SECTION 14: Transport information****United States Transportation of dangerous goods (49 CFR DOT)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations Inventory listing (TSCA): All ingredients of this mixture are included on the TSCA Inventory.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 311/312 hazards:

Ethylene dimethacrylate (97-90-5): Immediate (acute) health hazard

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1): Immediate (acute) health hazard

1,1'-(p-Tolylimino) dipropan-2-ol (38668-48-3): Immediate (acute) health hazard

SARA Section 313 toxic chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A

California Proposition 65:

Not listed/Not Regulated

SECTION 16: Other information

Abbreviations and Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
ADR: European Road Transport
AU: Australia
CA: Canada
CAS: Chemical Abstracts Service
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CN: China
CPR: Controlled Products Regulations
DFG: Deutsche Forschungsgemeinschaft
DOT: Department of Transportation
DSL: Domestic Substances List
EEC: European Economic Community
ECHA: European Chemicals Agency
EINECS: European Inventory of Existing Commercial Chemical Substances
EPA: Environmental Protection Agency
EU: European Association
IARC: International Agency for Research on Cancer
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
JP: Japan
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
CL50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon
Know: Octanol/water partition coefficient
KR: Korea
LEL: Lower Explosive Limit
UEL: Upper Explosive Limit
NIOSH: National Institute for Occupational Safety and Health Administration
PH: Philippines
RCRA: Resource Conservation and Recovery Act
OSHA: Occupational Safety and Health Administration
RID: European Rail Transport

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Rapid Set Ultra Fast Anchoring Adhesive Part A**SARA:** Superfund Amendments and Reauthorization Act**STEL:** Short Term Exposure Limit**TDG:** Transportation of Dangerous Goods**TSCA:** Toxic Substances Control Act**TWA:** Time Weighted Average**US:** United States**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA Hazard Ratings:**Health:** 2**Flammability:** -**Reactivity:** 1**Unique Hazard:** -**Hazardous Materials Information Label (HMIS):****Health:** 2**Physical Hazard:** 1**Personal Protection:** -**Initial preparation date:** 09/21/20**Version #:** 3**Revision Date:** 11/26/25

End of Safety Data Sheet



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

SECTION 1: Identification

Product identifier

Product name: Ultra Fast Anchoring Adhesive Part B

Product code: 196131010

Recommended use of the product and restriction on use

Relevant identified uses: Adhesive for fastening elements

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States
CTS Cement Manufacturing Corporation
12442 Knott St.
Garden Grove, CA 92841
800-929-3030
info@ctsceement.com

Emergency telephone number:

United States
INFOTRAC 1-800-535-5053
International
INFOTRAC 1-352-323-3500

SECTION 2: Hazard(s) identification

GHS classification:

Serious eye damage/eye irritation: Eye Irritant: 2A

Respiratory or skin sensitization: Skin Sensitivity: 1

Label elements

Hazard Pictograms:



Signal word: Warning

Hazard statements:

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation.

Precautionary statements:

P261 Avoid breathing vapors.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

No information available.

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 94-36-0	Dibenzoyl peroxide	< 15

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200). The product has been tested for aquatic toxicity. The tests show no need for classification of the product as toxic and harmful to aquatic life.

SECTION 4: First aid measures

Description of first aid measures

General notes:

Change contaminated, saturated clothing.

After inhalation:

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After eye contact:

After contact with eyes, rinse with water with eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After swallowing:

Do NOT induce vomiting. Rinse mouth immediately thoroughly with water. Seek medical treatment if necessary.

Most important symptoms and effects, both acute and delayed

Acute and delayed symptoms and effects:

May cause an allergic skin reaction.

Immediate medical attention and special treatment

Specific treatment:

Treat symptomatically.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Foam



Safety Data Sheet

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

Extinguishing powder

Water spray jet

Carbon dioxide (CO₂)

Unsuitable extinguishing media:

Full water jet.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of pyrolysis products and carbon monoxide.

Special protective equipment for firefighters:

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical protective clothing.

Special precautions:

Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

Environmental precautions:

Avoid release to the environment. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up:

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand. Treat the recovered material as prescribed in the section on waste disposal. Retain contaminated washing water and dispose it.

Reference to other sections:

Safe handling: see section 7.

Personal protection equipment (PPE): see section 8.

Disposal: see section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. When using do not eat, drink or smoke. No special fire protection measures are necessary.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Do not store together with strong oxidising agent. Do not use for products which come into contact with the food stuffs. Storage at temperatures of 5 - 25 °C (41-77 °F).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

Substance	Identifier	Permissible concentration
Dibenzoyl peroxide	94-36-0	PEL TWA 5 mg/m ³ 8 hr (Respirable fraction)
Dibenzoyl peroxide	94-36-0	REL TWA 5 mg/m ³ 8 hr
Dibenzoyl peroxide	94-36-0	ACGIH TWA 5 mg/m ³ 8 hr

Appropriate engineering controls:

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Personal protection equipment**Eye and face protection:**

Wear eye protection/face protection. Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Skin and body protection:

Wear suitable protective clothing. When handling chemical substances, protective gloves must be worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe OSHA regulations for respirator use (29 CFR 1910.134). Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using, do not eat or drink.

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Should a respirator be needed, follow OSHA regulation for respirator use (29 CFR 1910.134). Wear an air-purifying NIOSH certified (or equivalent) respirator (with a high-efficiency particulate filter) as needed.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance	Paste; black
Odor	Characteristic
Odor threshold	Not available
pH	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not applicable
Flash point (closed cup)	Not available
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not applicable
Vapor density	Not applicable
Density	Not available
Relative density	1.59 g/cm ³
Solubilities	Insoluble in water
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available
Decomposition temperature	Not determined
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable
Explosive properties	Not available

Other information

VOC (Weight %)	70 g/l when combined with Part A (7%)
----------------	---------------------------------------

SECTION 10: Stability and reactivity**Reactivity:**

See section 10.3

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

Violent reaction with strong oxidizing agents.

Conditions to avoid:

See section 7.2.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Benzoic acid, benzene, biphenyl.

SECTION 11: Toxicological information**Information on toxicological effects:****Acute toxicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:**

Name	Route	Result
------	-------	--------

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

Dibenzoyl peroxide

Oral

LD50 Rat: >5000 mg/kg

Skin corrosion/irritation**Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**Serious eye damage/irritation****Assessment:** Causes serious eye damage.**Product data:** No data is available.**Substance data:** No data is available.**Respiratory or skin sensitization****Assessment:** May cause an allergic skin reaction.**Product data:** No data is available.**Substance data:** No data is available.**Carcinogenicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**International Agency for Research on Cancer (IARC):** Dibenzoyl peroxide is listed in group 3.**National Toxicology Program (NTP):** No ingredients listed.**Germ cell mutagenicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**Reproductive toxicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**Specific target organ toxicity (single exposure)****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**Aspiration toxicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:** No data is available.**Substance data:** No data is available.**Information on likely routes of exposure:**

No data is available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data is available.

Other information:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

no components meet the criteria.

SECTION 12: Ecological information**Ecotoxicity****Assessment:** Based on available data, the classification criteria are not met.**Product data:**

OECD 201 (Desmodesmus subspicatus)

IC10: (0 - 72 h) = 30 mg/l

IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia Magna)

EC0/NOEC (48h) = 100 mg/l

EC50 (48h) = >500 mg/l

EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio)

LC0/NOEC: 250 mg/l

LC50: >500 mg/l

LC100: >>500 mg/l

Substance data: No data available.**Persistence and degradability****Product data:** No data available.**Substance data:** No data available.**Bioaccumulative potential****Product data:** No data available.**Substance data:** No data available.**Mobility in soil****Product data:** No data available.**Substance data:** No data available.**Other adverse effects:** No data available.**SECTION 13: Disposal considerations****Disposal methods:**

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 14: Transport information**United States Transportation of dangerous goods (49 CFR DOT)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations Inventory listing (TSCA): All ingredients of this mixture are included on the TSCA inventory.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 311/312 Hazards:

Dibenzoyl peroxide(94-36-0): Reactive, immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Dibenzoyl peroxide(94-36-0): De minimis limit=1.0%, Reportable threshold = Standard

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

California Proposition 65:

Not listed/Not Regulated

SECTION 16: Other information

Abbreviations and Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Road Transport

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B

AU: Australia
CA: Canada
CAS: Chemical Abstracts Service
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CN: China
CPR: Controlled Products Regulations
DFG: Deutsche Forschungsgemeinschaft
DOT: Department of Transportation
DSL: Domestic Substances List
EEC: European Economic Community
ECHA: European Chemicals Agency
EINECS: European Inventory of Existing Commercial Chemical Substances
EPA: Environmental Protection Agency
EU: European Association
IARC: International Agency for Research on Cancer
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
JP: Japan
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
CL50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon
Know: Octanol/water partition coefficient
KR: Korea
LEL: Lower Explosive Limit
UEL: Upper Explosive Limit
NIOSH: National Institute for Occupational Safety and Health Administration
PH: Philippines
RCRA: Resource Conservation and Recovery Act
OSHA: Occupational Safety and Health Administration
RID: European Rail Transport
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Transportation of Dangerous Goods
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average
US: United States

**Safety Data Sheet**

According to OSHA Communication Standard, 29 CFR 1910.1200

Ultra Fast Anchoring Adhesive Part B**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA Hazard Ratings:**Health: 2****Flammability:****Reactivity: 2****Unique Hazard: -****Hazardous Materials Information Label (HMIS):****Health: 2****Physical Hazard: 1****Personal Protection: X****Initial preparation date: 09/21/20****Version #: 4****Revision Date: 12/02/25****End of Safety Data Sheet**