



INSTALLATION INSTRUCTIONS

Gas Grill Cart
TG32CT
TG36CT



TABLE OF CONTENTS

IMPORTANT: PLEASE READ AND FOLLOW	04
ATTACHING THE GRILL TO THE CART.....	05
INSTALLING THE SIDE TABLES.....	09
DIMENSIONS	10
WARRANTY	14

IMPORTANT: PLEASE READ AND FOLLOW

- Before beginning, please read these instructions completely and carefully.
- Do not remove permanently affixed labels, warnings, or plates from product.

BEFORE INSTALLING GRILL TO CART: Remove drip tray, grill grates, flavor grids, and warming racks from the grill.

To remove side tables (optional):

The side shelves on the cart can be removed if needed. This must be done before installing the grill on the cart. With the shelf in the up position, remove the screws in the shelf support bracket. This will allow you to remove both the brackets and the shelf.

To mount grill to cart for 32"/36":


Always wear gloves when handling the gas grill. Although the grill is deburred prior to shipment, some edges may still be sharp enough to cause injury during handling. With a minimum of two (2) people, place the grill in the cart with about 3 to 4 inches hanging out the front making sure that the male fitting on the bottom of the grill is inside the cart. Push the grill back until the front sides of the cart are flush with the back of the landing ledge on the grill.

Be careful: the grill unit is very heavy!


CALIFORNIA PROPOSITION 65 - WARNING: This product can expose you to Carbon Monoxide, which is on the list of substances known by the state of California to cause cancer, birth defects or reproductive harm. For more information go to: www.p65warnings.ca.gov. California law requires businesses to warn customers of potential exposure to such substances. To minimize exposure to these substances, always operate this unit according to the Use and Care Manual, ensuring you provide good ventilation when cooking with gas.

INSTALLING THE SIDE TABLES

Step 1: As shown in the figure, align the notches on both sides of the side table with the fixed plates on the side tables.




Step 2: As shown in the figure, push the notches on both sides of the side table inward along the fixed plates on the side tables until they reach the bottom of the limit notches.




INSTALLING THE SIDE TABLES

Step 3: Press the side table downward until it reaches the upper position of the side table's limit slot.




Step 4: Take two side table limit clips and two 5/32"*6 screws.




INSTALLING THE SIDE TABLES

Step 5: Secure the side table limit clips on both sides to hold the side table in place and prevent it from coming off.




Step 6: Lift the side table upward until it reaches the lower position of the side table.



INSTALLING THE SIDE TABLES

Step 7: Rotate the side frame 90 degrees downward to fold it. Install the other side using the same method.




ATTACHING THE GRILL TO THE CART


Once the grill has been mounted on the cart, the back of the landing ledge should be flush with the front sides of the cart. The 5/8" (1.6 cm) hole on the top front corners of the cart should be aligned with the receiving holes in the grill heat shields. If your grill does not have the receiving holes in the heat shield, you will need to drill them out with a 9/64" (.14 cm) drill bit. With the grill and cart mounted together, place the drill bit in the 5/8 hole and center in the 1/4"x3/8" slot. Drill through the heat shield. Take the #10X3/4" (1.9 cm) sheet metal screws (A) supplied with the cart and attach the cart sides to the grill.

After securing the grill to the cart, snap the hole covers (B) supplied with the cart into the 5/8" (1.6 cm) holes in the cart corners.

RBG3201-G (Gas Grill Model) + TG32CT




TPG3601-G (Gas Grill Model) + TG36CT




DIMENSIONS

TG32CT – Front & Side View




TG32CT – Top View




DIMENSIONS

TG32CT – Front & Side View (Side Table Folding)




TG32CT – Top View (Side Table Folding)




DIMENSIONS

TG36CT – Front & Side View




TG36CT – Top View




DIMENSIONS

TG36CT – Front & Side View (Side Table Folding)



TG36CT – Top View (Side Table Folding)



WARRANTY



Warranty&Service

This product has been manufactured by Thor International, 4651 E Airport Dr, Ontario, CA 91761

For Customer Service, please call (877) 288 - 8099

For the most up to date warranty and service policy, please refer to our website
WWW.THORKITCHEN.COM/WARRANTY-REGISTRATION

For in-warranty service requests, please visit our website at
WWW.THORKITCHEN.COM/SERVICE

Please Note: You must provide proof of purchase or installation date for any in- warranty service requests



WELCOME TO THE GORDON RAMSAY COLLECTION

THOR Kitchen x Gordon Ramsay Collection is backed by a solid two-year warranty on both parts and labor. It's our commitment to quality and your peace of mind. Registering your appliance ensures top-notch service and personalized support. Your registration helps us stay informed about your appliance, enabling us to provide timely maintenance reminders, updates, and exclusive offers. This ensures your appliance maintains peak performance for years to come.

01 Scan the QR Code or visit thorkitchen.com/register-your-product.

02 Input your purchase and product information and select register.

03 That's it. You're all set.
Start cookin'!

