



Product: 36 INCH PROFESSIONAL DUAL FUEL RANGE
Model Number: XRD36E

TECHNICAL DETAILS

Fuel Type	Natural or Liquid Propane + Electric
Installation Type	Freestanding
Required Circuit	50 Amps Dedicated Circuit
Volts (V)	240V
Frequency (Hz)	60Hz
Control Type	Knob / Touch Screen
Plug Type	nema 14-50p
Power Cord Length (in.)	Canada only. Not included in USA/Mexico

FEATURES & BENEFITS

- ⊕ **Tilt Panel Touch Control:** A tilt panel touch control is an adjustable control panel that tilts for optimal viewing and ease of use.
- ⊕ **6.0 cu. ft. Oven Capacity:** Spacious oven easily fits large baking sheets, roasting pans, and multiple dishes at once.
- ⊕ **Multi-Function Oven:** Offers versatile cooking modes including Bake, Roast, Broil, Keep warm, Proof, Pizza, Self-Clean And Airfry
- ⊕ **LuxGlide™ Telescopic Racks:** Telescopic racks use ball bearing rack guides for an effortless glide in and out of the oven. This luxury feature allows the rack to extend fully without tipping over for smooth, easy handling of even the heaviest dishes, and adjusts to fit different rack support levels.
- ⊕ **Soft-Close Oven Door:** Gently closes for a quieter, more premium cooking experience.
- ⊕ **Built-In Casters and Leveling Legs:** Easily reposition the range when needed, then level for a secure fit and seamless countertop alignment.
- ⊕ **Italian Brass Burners with 22,000 BTU Dual Burner:** Premium Italian brass burners deliver powerful heat up to 22,000 BTUs and gentle simmer control down to 1,000 BTUs.
- ⊕ **Blue LED Illuminated Knobs:** Sleek, backlit knobs provide a clear visual cue when burners are in use, enhancing safety and modern style—even visible from across the kitchen.
- ⊕ **Continuous Cast-Iron Grates:** Heavy-duty grates provide a seamless surface for easy pan movement and pro-style durability.
- ⊕ **Automatic Re-ignition Feature:** Automatic re-ignition feature relights an extinguished flame for safer cooking.





PRODUCT DIMENSIONS & WEIGHTS

Product Dimensions (WxDxH) (in.)	35-7/8" x 24-3/4" x 36-1/8"
Product Height (from bottom to top of back splash) (in.)	41-3/8"
Product Height (from bottom to top of side panel) (in.)	32-7/8"
Product Depth (from back panel to bullnose) (in.)	28-1/2"
Product Depth (from back panel to control panel) (in.)	27-1/4"
Product Depth (from back panel to side panel front) (in.)	24-3/4"
Packaging Dimensions (WxDxH) (in.)	36" x 36" x 24"
Adjustable Leg Sizes	3"
Net Weight (lbs.)	280
Gross Weight (lbs.)	340
Package Dimensions (WxDxH) (in.)	39-1/6" x 30-1/8" x 49"

ACCESSORIES (INCLUDED)

- 2 LuxGlide™ Telescopic Racks
- 1 Broiler Pan
- 1 Air Fry basket
- 1 Meat Probe
- Grill / Griddle Cooking Grate

COOKTOP BURNER CONFIGURATION

Total Number of Cooktop Burners	5
(1) Front Left Burner	22000 BTU (Dual) Simmer
(2) Front Right Burner	22000 BTU (Dual) Simmer
(3) Griddle Burner	9000 BTU
(4) Rear Left Burner	12000 BTU
(5) Rear Right Burner	12000 BTU

OVEN PERFORMANCE

Oven Capacity	6.0 cu. Ft.
Oven Control Features:	Oven Light Control, Cook Time, Timer, Delay Start, Self Clean, Control Lock, Sabbath Mode, Temperature Unit
Cooking Modes	Bake, Convection Bake, Multi-Rack Bake, Broil, Convection Roast, Warm, Pizza, Air Fry, Proof, Meat Probe
Bake Burner Power	3500 Watt
Broil Burner Power	3500 Watt
Convection	True Convection Fan
Convection Element Power	1300 Watt
Oven Lights	2
Oven Racks	Telescopic Racks x2
Oven Rack Material	Chrome Plated
Baking Sheet Size	Fits Standard Three-Quarter Sheet Pan
Self Clean (Y/N)	Yes
Air Fry	Yes
Oven Internal Height	18"
Oven Internal Width	29-3/4"
Oven Internal Depth	19-1/2"

ACCESSORIES (OPTIONAL)

- LP Kit
- Island Trim

