



VINYL PRODUCTS GUIDE



PREMIUM VINYL WINDOWS AND DOORS

Harvey vinyl windows and patio doors have been engineered to withstand the elements and look good while doing it. Features like our premier block and tackle balance system and dust cover, corrosion-resistant zinc plated alloy pivot bars and terminal housing, extrusion injected weather seals, and durable die-cast metal locks provide a lifetime of all-weather protection plus smooth opening and closing.



For over 60 years, we've built our reputation on the outstanding craftsmanship of our products and our world class customer service. You can rest easy knowing that most Harvey windows are backed by our Clear Confidence Warranty and that our commitment lasts a lifetime.

Warranties provided by Harvey are for product parts and mechanisms; they do not cover damages resulting from improper installation nor do they cover labor charges. Exceptions apply to discontinued and modified products

20

YEARS GLASS COVERAG

LIFETIME

WARRANTY

20

YEARS TRANSFERABILITY


VINYL WINDOW FEATURES



AT A GLANCE

- Harvey uses premium vinyl that's strong, resistant to insects and corrosion, and is effective at controlling noise.
- Harvey vinyl windows will never need painting and their heavy duty hardware lasts a lifetime.
- Most windows are available with FlexScreens, which spring into the screen track, allowing for easy installation, removal, and storage.
- Customization is endless with grid, glass, paint, and hardware options.





DURABLE. EFFICIENT. HIGH PERFORMING.



ENERGY EFFICIENT DIFFERENCE



AIR INFILTRATION

Lower quality vinyl and composite windows aren't engineered to the same standards as Harvey windows, which have advanced integrated weatherseals and sash-locking technology. When these features are lacking, it leads to excessive air passing through the gaps where the sash meets the frame or around the perimeter of a closed window, otherwise known as a high rate of air infiltration (AI), a value that is determined through independent, 3rd party testing.

The American Architectural Manufacturers Association (AAMA) mandates a maximum air exchange rate of 0.30 cfm/sf at 1.57 psf (25 mph).

Harvey vinyl windows have air infiltration ratings ranging from .01-.07 cfm/sf, depending on size and operating style.

Why? Because Harvey windows were born in the Northeast where keeping out the cold is a priority. And, in the summer homeowners benefit by keeping cooler air in. If you choose a window with a higher Al, the more drafty a room will be, and the more energy will be used from frequent heating and cooling cycles, while a low AI rate can help homeowners save money and prevents additional wear and tear on their HVAC systems.

GLASS OPTIONS



SO HOW MUCH AIR IS THAT?

The more air is leaking from a window,

the more frequently an HVAC system will

have to replace the air in a room. It helps

to visualize air leakage in a unit that's

familiar, like gallons and ounces of water.

Air Leakage/min/ft²

Air Leakage/min/ft²

9 oz of

Air Leakage/min/ft²

.30 CFM/FT²

AAMA Minimum

At this rate, the air in a 12'x12' room* will get replaced:

Once every 4.8hrs.

.12 CFM/FT²

Mid-Quality Vinyl Window**

At this rate, the air in a 12'x12' room* will get replaced:

Once every 12hrs.

.01 CFM/FT²

Harvey Vinyl Double Hung Windows

At this rate, the air in a 12'x12' room* will get

=5 GALLONS

2 25 Gallons of

Air Leakage/min/ft²

.89 Gallons of Air Leakage/min/ft²

.07 Gallons of

Air Leakage/min/ft²

Harvey gives you the flexibility to choose the performance package that fits your project with several glass options that meet ENERGY STAR requirements as well as additional energy efficient packages.

HOW OUR GLASS WORKS

 A special coating, known as Low-E, is applied to our glass to reduce temperature transference by reflecting infrared light. Low-E is a non-toxic, environmentally friendly way to enhance a window's energy efficiency.

Low-E coatings can be applied to the various sides of the glass panes. Our highest performing glass features a roomside Low-E coating, found on the inner most glass side with an additional layer of Low-E applied to the exterior glass pane.

- Colorless, odorless, non-toxic Argon gas fills the space between the glass. Because it's heavier than air, it provides better insulation than alone, increasing the thermal performance of the glass.
- The areas where the edges of the glass meet the frame are most vulnerable to temperature transference, so a warm edge spacer is used to insulate where the glass seals to the window frame, reducing heat transfer through the window.



THERMALOCK RS Best for North-Central Climates

ThermaLock RS with roomside Low-E helps to keep interior temperatures consistent by reflecting heated or cooled air back inside, while still allowing ample sunlight in.

THERMALOCK 3X Triple Glazed


ThermaLock 3X with roomside Low-E is our premium ENERGY STAR option. It kicks performance up a notch with three Low-E coated panes of glass, (including roomside), making it the best choice to significantly reduce energy consumption in climates where both cooling and heating costs are a concern.



SUNGAIN PLUS Best for Northern Climates

SunGain Plus with roomside Low-E, is engineered to have a high Solar Heat Gain Coefficient so more of the sun's rays penetrate the glass to offset heating, providing superior performance in northern climates.

SunGain Plus also has our highest Visible Transmittance (VT) rating which means it



SUNSHIELD PLUS | SUNSHIELD Best for South/South-Central Climates

SunShield Plus with roomside Low-E and SunShield work by shielding the home from solar heat and ultraviolet ravs that can fade furniture and carpet.

Tinting is minimal with virtually no exterior reflectance, keeping the view unobstructed.



NFRC values for ENERGY STAR 7.0 rated and other energy efficient glass packages can be found in the Thermal Specifications chart in the reference section of this guide.

Full window configuration (i.e.: size, grids, operating style and other options) affect unit NFRC values and therefore ENERGY STAR zone compliance. Products are tested for performance regularly and ae subject to change.

^{*}Assuming a 3'x5' vinyl double hung in a 12'x12'x9' room (1,296ft³)

^{**}Traditional High-Performance Vinyl Double Hungs with an average Al range of 0.11-0.21CFM

CUSTOMIZATION OPTIONS

GRIDS

Both 5/8" and 1" grids in either contoured or flat are available for most products. Grids can also be painted.

See product pages for grid options per window/doors style.



CONFIGURATIONS

Fully customize any grid design. Choose Colonial, Prairie, or other unique styles like Tudor or Gothic.









SASH ORIENTATION

Even sashes are nice, but you can also select Oriel, Cottage, or a custom orientation.









SIMULATED DIVIDED LITES (SDL)

For a dramatic and upscale look, choose the SDL grid system which utilizes a pewter in-glass grid with grids applied on both the interior and exterior. Available for most vinyl windows.





EXTERIOR APPLIED

Exterior applied grids provide a more defined architectural style on the exterior, with the ease of grids between glass on the inside. Available for most vinyl windows.





GRIDS BETWEEN GLASS (GBG)

Color-matched contoured grids are positioned between the glass, allowing for easy cleaning. Available for most vinyl windows.

SCREENS







FLEXSCREEN FRAME ***O**

Experience the ultimate in window screen innovation with FlexScreen. This discreet frame effortlessly disappears into your window, creating an unobstructed view. Crafted from robust, breakresistant steel with a scratch-resistant powder coating, FlexScreen is built to last. It springs into place, making installation a breeze. Combine with VIEWS mesh for the clearest view.


- Nearly indestructible
- No color matching necessary
- Full view
- No hardware
- G Effortless installation and removal



EXTRUDED ALUMINUM FRAME

Harvey aluminum frames are tough, sturdy and relatively easy to remove and install, with hidden metal corners that won't become brittle like the exposed plastic corners found on lower quality screens.

MESH



VIEWS

Standard Screen



Upgrade to Virtually Invisible Screens, for a brighter view, 25% better airflow, and maximum protection against small insects.

FIBERGLASS



A popular choice for its durability, fiberglass is flexible and does not crease, dent, or unravel.

Screens come in half and full sizes. See product pages for screen options per window/doors style.



PAINT AND HARDWARE FINISHES

EXTERIOR VINYL FINISHES

In addition to White or Almond extruded vinyl windows and patio doors, Harvey offers a standard and custom exterior paint spectrum backed by a 10-year limited warranty against cracking, peeling or discoloration.

The water-based coatings contain special pigments to withstand temperature fluctuations while retaining vibrant color. With no toxic hardeners, the finish is durable while exceeding environmental and performance standards.

STANDARD HARDWARE FINISHES





White (Standard)

Almond*



Forest Green

PREMIUM HARDWARE FINISHES





Oil-Rubbed Bronze

Brushed Nickel

Ivory

Standard Stocked Made-to-Order Vinyl Colors Exterior Laminate Exterior Paint Colors White Vinyl Dark Bronze Black Bronze Cranberry

PLUS More Paint Colors + Custom Color Matching



Wedgewood

Blue



Almond* Vinyl

AAMA 615 Requirements for superior performance organic coatings

VINYL WINDOWS


Harvey vinyl windows are engineered to withstand the elements and deliver unmatched durability with minimal maintenance. Features like our premier block and tackle balance system, sturdy die-cast metal locks, and advanced weather stripping provide a lifetime smooth operation and all-weather protection. In addition to our various operating styles, you can fully customize your home's windows with interior and exterior colors, hardware finishes, grid styles, as well as with ENERGY STAR performance options.








TRIBUTE DOUBLE HUNG WINDOW






The Harvey Tribute double hung provides superior energy efficiency and stunning good looks. The Tribute is fusion welded with a contoured sash and beveled edges to emulate the traditional look of a wood window. Harvey's revolutionary dual action lock/tilt latch combo gives the Tribute clean lines, with no exposed tilt latches to block your view.

LIFT HANDLE TYPES





LOCK

Tribute comes with double low profile sash locks, in three finishes, to complement its sleek design. Dual action means you can lock and tilt open the window with a flip of the thumb. Add matching applied lift handle for an upgraded appearance.





MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations plus oriel & cottage sash options

Full and half size screens

Sash/glazing bead contours and Simulated Divided Lite grids could help meet historic requirements when remodeling

Both sashes tilt in for cleaning; premium ventilation limit latches keep top or bottom sash partially open

OPTIONS

ENERGY STAR GLASS








ThermaLock RS ThermaLock 3X HPTG

SunGain PLUS

SunShield PLUS

SCREEN | FRAME





SCREEN | MESH

VIEWS

GRID | TYPE




GBG





GRID | STYLE



COLORS | EXTERIOR

Applied









Interior/exterior finish also available in Matte Black.

COLORS | HARDWARE





(Standard)






Premium Hardware

Brushed Nickel

CLASSIC DOUBLE HUNG WINDOW





Our most popular window, the Classic offers a variety of color, grid and hardware options to match the style of any home. ENERGY STAR packages and advanced performance features makes Classic an excellent choice for a hardworking, dependable, yet customizable window.



LOCK

Classic comes with a low profile cam lock. This die-cast metal lock is durable and does not compromise on style with four colors available: white, almond, oil-rubbed bronze and brushed nickel. Built to last and withstand wear and use, yet simple to operate.









MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations plus oriel & cottage sash options

Full and half size screens

Double locks are standard on widths 30" and over

Both sashes tilt in for cleaning; ventilation limit latches keep bottom or top sash partially opened

OPTIONS

ENERGY STAR GLASS









ThermaLock RS


SunGain PLUS

SunShield PLUS

SCREEN | FRAME







GRID | STYLE

GRID | TYPE









GBG Exterior Applied

Colonial Prairie

COLORS | EXTERIOR







White Vinyl (Standard)

Almond Vinyl





White Interior/ Black Laminate Exterior

Interior/exterior finish also available in Matte Black Paint.

COLORS | HARDWARE





(Standard)

Black

Premium Hardware



Brushed

Bronze

Nickel

19

SLIMLINE DOUBLE HUNG WINDOW





The Harvey Slimline vinyl double hung window lives up to its name boasting a slimmer, fully-welded sash profile and frame that maximizes your view. Sweep lock is low profile, and made of durable metal.

OPTIONS





ThermaLock RS SunGain Plus SunShield Plus



FlexScreen Aluminum



Fiberglass or VIEWS Mesh



GBG

MORE OPTIONS & FEATURES

Grids come in 5/8" size

Custom grid configurations plus oriel & cottage sash options

Full and half size screens

Double locks are standard on widths 30" and over

Both sashes tilt in for cleaning; ventilation limit latches keep bottom or top sash partially opened


Available in single hung

		SLIMLINE	CLASSIC	TRIBUTE
SASH & FRAME				
Glass	ENERGY STAR 7.0 Glass	•	•	•
	Specialty	•	•	•
	Clear	•	•	•
Architectural Aesthetic	Contoured Sash and Glazing Bead			•
Sash Configuration	Oriel, Cottage and Standard	•	•	•
Foam-Filled	Frame Performance Upgrade		•	•
EXTERIOR COLORS				
Solid Color Vinyl	White	•	•	•
	Almond	•	•	
Finishes	Stocked Black Laminate		•	•
	Standard Paint Colors (six options)		•	•
	Black Matte Interior/Black Exterior Paint		•	•
	Color matching + Custom Paint		•	•
HARDWARE & GRIDS				
Lock Style	Low Profile Metal Sweep	•		
	Metal Cam		•	
	▼⊘ ▼ Premium Dual Action			•
Lock Color	Standard Finishes	•	•	•
	▼⊘ ▼ Premium Finish Option		•	•
Lift Handle	▼⊘▼ Premium Applied Option			•
Limit Latches	Standard for Ventilation	•	•	
	▼⊘ ▼ Premium Always Active			•
	Premium Always Active			•
Grids	Between Glass	•	•	•
	Exterior Applied		•	•
	Simulated Divided Lites		•	•
SCREENS				
Frame	Economy Roll form	•		
	Extruded Aluminum	•	•	•
	▼⊘▼ Premium FlexScreen	•	•	•
Mesh	Fiberglass	•	•	
	▼⊘ ▼ Premium Views	•	•	•
WARRANTY				
Clear Confidence Lifetime	On Vinyl/Parts & 20yr. glass seal	•	•	•

18 Subject to change. Please visit harveywindows.com for the latest product information. Effective 11.1.23.
















CASEMENT & AWNING WINDOW





Easy-to-operate Harvey casement and awning windows with improved handle provide clean, contemporary lines and maximum ventilation. There's no need to stretch to reach a top lock because the casement unlocks with one conveniently placed latch. The bottom of the awning tilts outward by turning the compact folding handle.





HANDLE

Easy-to-use, compact, full-flip folding handles tuck neatly into the cover for a modern, nested appearance.

Single latch, multi-point locking system is standard.



MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations available

Full size screens

Simulated double-hung meeting rail available on casement

Casement available in sizes up to 36" x 80", as big as an entry door!

OPTIONS

ENERGY STAR GLASS








SunGain




SunShield

SCREEN | FRAME



SCREEN | MESH




GRID | TYPE



GBG Exterior Applied

GRID | STYLE



COLORS | EXTERIOR



White Vinyl Almond Vinyl

EXTERIOR PAINT AVAILABLE



(Standard)

White Interior/ Black Laminate

Exterior Interior/exterior finish also available

in Matte Black Paint.

COLORS | HARDWARE





(Standard)



Black

Premium Hardware



Brushed Bronze

ROLLING WINDOW

HOPPER WINDOW










Fully welded for maximum durability, Harvey rolling windows move smoothly on a set of brass rollers and are easy to operate on both sides. Rolling windows are particularly helpful for homeowners that have limitations on physical movement.

OPTIONS




All Glass Packages FlexScreen or



Aluminum



Fiberglass or VIEWS Mesh



All Grid Styles



All Finish Options

MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations available

2-and-3-lite options available

Full and half size screens

Cam lock hardware and full-height handles on operable sash standard

MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations available

Full size screens; VIEWS screen upgrade available


Double locks are standard on widths 30 1/4" and over

The Harvey hopper window is an excellent choice for basement applications. The hopper includes a fully extruded aluminum/ fiberglass screen and is custom made to fit your opening.

OPTIONS



All Glass Packages Aluminum






All Grid Styles


All Finish

PICTURE WINDOW









Take in the great outdoors with a picture window. Use them alone or combine them with casements and/or double hung windows for more sweeping views and greater air circulation. Picture windows also perfectly compliment shape windows when creating a custom configuration.

MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations available

Thanks to Harvey's special vinyl forming process, you can add variety and individuality to projects with custom shapes.

Specialty shapes include octagons, triangles, round tops and full circles. Numerous grid options enhance interior design possibilities. Wood and PVC trim can be specified on any specialty window for added value and beauty.

Another great way to let in natural light and add a decorative element is with a custom transom above the garage. Standard grid pattern is 14-lite 5/8" contoured Grids Between Glass. Additionally, garage door transoms can be ordered in 2-or-3-wide common jamb.

MORE OPTIONS & FEATURES

Grids come in 5/8" and 1" sizes

Custom grid configurations available

ENERGY STAR glass packages available

Available in white or almond vinyl and our full spectrum of exterior paint options

OPTIONS



All Glass Packages



All Grid Styles




All Finish Options

BAY & BOW WINDOW









CUSTOM ROOFS

All roof systems are fully framed and sheathed in 1/2" plywood.

They are available in 16 oz. copper or solid aluminum and are also compatible with several other manufacturers.

*Seat board standard with white aluminum face only,

ALUMINUM ROOF COLORS White Coppertone

Bronze

Patina



MORE OPTIONS & FEATURES

Bay: either 30° or 45° angles

Bow: 10° angle

Custom manufactured to fit virtually any opening

ENERGY STAR glass packages available

Multi-point lock on all casements

Insulated vinyl mullions

Edge banded finish jambs and head and seat boards in oak or maple veneer. Insulated seat board custom made to fit each unit*

GARDEN WINDOW

HEAD/SEAT BOARD AND JAMB FINISHES UPGRADES



Birch Veneer

(Standard)



(Standard)



Laminate



Tan Laminate

LG SURFACE SEAT BOARD COLORS UPGRADES













Gray Granite



White Quartz

INTERIOR/EXTERIOR FRAME FINISH UPGRADES





(painted, ext. only)



Cocoa

(painted, ext, only)



Lt. Oak Laminate (interior only)

Bring the outdoors in with Harvey's vinyl garden window. Perfect for both new construction and remodel projects, garden windows are a beautiful setting for plants, collectibles or decorations.

Units come standard in white frame/laminate 4-9/16" jamb, and a choice of birch or oak veneer for the shelf and seat board.

Garden performance and style options include:

- Grid and color options
- Adjustable glass shelf (with polished edges and brackets/ standards) can be added
- Waterproof insulation seat board



MORE OPTIONS & FEATURES

Available in sizes up to 72" x 48"

High performance 1" insulating glass

Top lite (a constant 35° pitch) is tempered for improved safety and

Support brackets are not needed

10 year warranty

28

PATIO DOORS

A patio door is an extension of a home, and should be an extension of a homeowner's style. Vinyl Patio doors are durable, low maintenance, and ENERGY STAR rated to perform well year after year, providing a bit of functional charm to any space.










PATIO DOOR





Along with standard sizes, Harvey vinyl patio doors can be custom-built to fit virtually any opening, so you get the look you want with the performance you expect.

Solidly constructed and reinforced with heavy-duty aluminum for added durability, they include welded sash corners to provide maximum strength, while multi-chambered frame extrusions further increase their stability and thermal efficiency.

FEATURES

ENERGY STAR glass packages available

2, 3, and 4-lite design options

Flushmount deadbolt standard on operating panels

Standard non-keyed hardware included, keylock option available

Blinds Between Glass option

MORE OPTIONS & FEATURES

Multi-point lock options utilize four locking "claws" that engage simply by turning the knob

Grids come in 5/8" and 1" sizes

Custom grid configuration available

Seacoast Hardware option for corrosion resistance; available in white or almond color-matched:

- Panel and screen rollers and roller track cover
- Fasteners, latch mechanism, offset keeper powder coat finish handle and includes Stainless Steel.

OPTIONS

ENERGY STAR GLASS






ThermaLock RS


SunShield Plus

SCREEN | FRAME



Aluminum

SCREEN | MESH




GRID | TYPE





Applied

GRID | STYLE



COLORS | EXTERIOR



(Standard)







White Interior/ Black Laminate Exterior

Interior/exterior finish also available in Matte Black Paint.

COLORS | HARDWARE







Ask about dualoptions.

Black

Premium Hardware



Oil Rubbed Bronze

Brushed Nickel

PATIO DOOR OPTIONS



BLINDS BETWEEN GLASS

Blinds Between Glass offer an easy and convenient way to enjoy the look and privacy of conventional blinds with none of the hassle, which makes them the perfect add-on for Harvey Vinyl Patio doors.

ENERGY STAR 6.0 glass included. Available for Harvey solid vinyl patio door only. 2-4 lite configurations have the option for fiberglass screen. Not available with grids.





BENEFITS INCLUDE:

PRIVACY

BBG are adjustable and can be raised, lowered and tilted

LIGHT CONTROL

Allowing the sun in, or not, helps control household temperature

CONVENIENCE

Minimal reaching and stooping to operate the blinds

SAFETY

Cords and blinds are encased providing safety for children and pets

DÉCOR

Clean, efficient look with no need for bulky window treatments

NO DUSTING


Conventional blinds attract dust and are difficult to clean; Blinds Between Glass solve both these problems!

AVAILABLE WITH:


Painted exterior finishes (blinds remain white)

Included non-keyed handle set and flushmount deadbolt

Harvey solid vinyl patio doors are available with factory-mulled transoms, on two-panel doors at 5', 6' and 8' widths.



Rectangle



Ellipse

Extended Segmental

FEATURES

ENERGY STAR glass packages available

Flushmount deadbolt standard on operating panels

Standard non-keyed hardware included, keylock option available

Blinds Between Glass option

Rectangle, ellipse and extended segmental shapes available

Custom grid configuration available to match patio door*

