



**HARVEY**  
WINDOWS + DOORS

# ENTRY DOORS



2024 CATALOG





## CONTENTS

About Harvey Entry Doors	4
Trusted Partners	5
Quality Fiberglass Doors	6
Series Overview	7
High Performance Jambs	8
Configuration and Components	9
Doorlite Frames	10
Blinds Between Glass	11
Glass Options	12
Premium Finishes	14
Entry Door Hardware	16
Panolock®	18
Keyless Entry Systems	19
<b>Traditional Series Overview</b>	20
Brushed Smooth	23
Oak & Mahogany	38
<b>Craftsman Series Overview</b>	42
Brushed Smooth	44
Fir	48
<b>Modern Series Overview</b>	50
Brushed Smooth	51
<b>Specialty Series Fire Doors</b>	56
Warranty	57
Door Opening Dimensions	58



# YOUR PARTNER FOR ENTRY DOOR SYSTEMS



With over 60 years of industry experience, Harvey Windows + Doors has always been selective in the products we offer to our customers. Our focus is on delivering long-term value for homeowners and reliable solutions for contractors. That's why we've developed a line of entry doors that blend aesthetic appeal with exceptional durability and performance.

Harvey's entry door system combines the lasting strength of fiberglass with the timeless beauty and versatility of wood. Built with components from trusted partners, each door can be fully customized—from configuration and glass selection to pre-finishing. And as with all Harvey products, you can trust that your entry door is backed by our renowned service and deep commitment to quality.

# COMPONENTS FROM LEADING SUPPLIERS

Pairing your Harvey windows with our entry doors just make sense, especially when you consider the well-known vendor partnerships that support the components of our door system.



## FIBERGLASS SLABS

Plastpro is our partner for fiberglass door slabs. Since 1994, this brand has been a firm believer in providing a superior fiberglass door with the best value, technology, and commitment to customers. They are an industry leader with high-quality solutions that are impervious to weather damage. Plastpro fiberglass slabs outperform other door options and require less maintenance.



## COMPOSITE JAMBS

Dura-Plast™, a subsidiary of GM Wood Products, is Harvey's composite frame supplier. Dura-Plast frames are made with a high-performance blend of PVC and wood flour that withstands warping and splitting. They are considered one of the best-performing, no-compromise composite door frame systems vendors on the market.



## PAINT AND STAIN

Sherwin-Williams is our partner for paint colors and stains. Founded in 1866, they have spent the last 155+ years creating a legacy of growth, creativity, and innovation to meet the needs of their growing global customer base.



## GLASS AND LITE FRAMES

ODL® is Harvey's partner for decorative glass inserts and lite frames. They are an industry leader with a team of innovators and problem-solvers willing to take creative risks. ODL has been family-run for three generations, founded with the intention of creating products that truly make their customers' lives better. This guiding principle rings true today with the high-quality products and services that they offer.



## HARDWARE AND SMART LOCKS

For over a century, Schlage® has provided durable door hardware in diverse designs and finishes, catering to every style from classic to contemporary. Similarly, Kwikset®, with over 75 years of expertise, offers quality entry door hardware ranging from modern sophistication to classic simplicity, ensuring a perfect match for any aesthetic.



# QUALITY PLASTPRO® FIBERGLASS DOORS

Plastpro's HydroShield Technology protects doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides.

It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew.



**1 FIBERGLASS REINFORCED SKINS**  
Skins are produced to the highest quality, requiring little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

**2 FULL LENGTH COMPOSITE STILES**  
Full-length composite stiles protect the door from external moisture to prevent warping or rotting, with twice the screw-holding strength of wood.

**3 COMPOSITE TOP & BOTTOM RAILS**  
High-strength, composite top and bottom rails prevent moisture from seeping into the door and prevent the buildup of mold.

**4 EXTENDED LOCKBLOCK**  
Full-length LVL allows any type of lock to be placed for increased security.

**5 POLYURETHANE FOAM CORE**  
Advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.



WATCH FEATURE OVERVIEW VIDEO



# SERIES OVERVIEW



**TRADITIONAL**  
Our largest selection of doors, the Traditional Series gives you the choice of Brushed Smooth textured doors for a polished look, or the look of real wood with Oak and Mahogany grains.



**CRAFTSMAN**  
The Craftsman Series blends historical elegance with contemporary design, featuring architecturally-inspired doors bolstered by modern engineering.



**MODERN**  
Refresh your entryway with the clean lines, unique lite configurations, and large expanses of glass. This series includes select styles available with the ONYX finish.



**SPECIALTY**  
Fire Rated doors are made with fire-resistant composite creating an extremely durable entryway.

## SLAB TEXTURES





# HIGH PERFORMANCE JAMBS

## WORRY-FREE COMPOSITE FRAMES

Available in Wood Grain and White Vinyl Clad, Dura-Plast™ is a poly-fiber door frame system that combines the strength and convenience of wood with enhanced properties that prevents moisture, rot, and insect damage. With Harvey, frames can be pre-finished to match or contrast your door.



## WHY COMPOSITE FRAMES?

Closed cellular structure ensures door frame and molding will not absorb or wick moisture, and prevents warping, rotting, and splitting, with twice the screw-holding power of traditional wood door frames. The rigid Poly-Fiber formulation eliminates the need for an aluminum support channel.

Available in white vinyl clad composite and wood grain composite are available in 4-9/16", 5-1/4", 6-9/16" and 7-1/4" jamb depths with Bronze weatherstripping.

## DURA-FRAME™ PFJ JAMBS

Dura-Frame features Alaskan Yellow Cypress, one of the planet's most durable rot and insect resistant woods, which is finger-jointed to the bottom of premium pine frame component.

Sealed ends prohibit moisture from entering the substrate, ensuring longevity of frame component.

# ACCESSORY AND COMPONENT OPTIONS

When it comes to accessories and components, Harvey gives you flexibility to configure the perfect entry with our range of accessories and components.

## GRIDS

GRIDS BETWEEN GLASS	GRIDS BETWEEN GLASS	APPLIED SIMULATED DIVIDED LITES	MOLDED SIMULATED DIVIDED
7/8" FLAT - BLACK 7/8" FLAT - WHITE	11/16" CONTOUR - WHITE	1-1/8" MOST INCLUDE BLACK GBG	1-1/8" INCLUDES SILVER SPACER

## EXTERIOR CASING

BRICKMOULD	BRICKMOULD	BRICKMOULD	3-1/2" FLAT	3-1/2" FLAT
PRIME FINGER-JOINTED	WOODGRAIN	WHITECAP AVAILABLE WITH NAIL FIN AVAILABLE WITH J-CHANNEL	PRIME FINGER-JOINTED	WHITECAP AVAILABLE WITH J-CHANNEL

## KICKPLATES

KICKPLATE	KICKPLATE
BRIGHT BRASS	SATIN NICKEL

## MAILSLOTS

MAILSLOT	MAILSLOT
BRIGHT BRASS	SATIN NICKEL

## PEEPSITES

PEEPSITE	PEEPSITE
BRASS	SATIN CHROME

## INSWING SILLS

4-9/16" COMPOSITE ADJUSTABLE	6-9/16" COMPOSITE ADJUSTABLE	4-9/16" ADA
BLACK CAP AVAILABLE IN MILL AND DARK BRONZE FINISH	BLACK CAP AVAILABLE IN MILL AND DARK BRONZE FINISH	MILL FINISH

## OUTSWING SILLS

4-9/16" COMPOSITE ADJUSTABLE	6-9/16" ADA
BLACK CAP AVAILABLE IN MILL AND DARK BRONZE FINISH	MILL FINISH

## SILL ACCESSORIES


SILL COVER	SILL PAN	RAIN DEFLECTOR
		WHITE

## HINGES

BALL-BEARING	NRP	SPRING-LOADED
DULL BRASS FLAT BLACK OIL RUBBED BRONZE POLISHED CHROME STAINLESS STEEL	DULL BRASS FLAT BLACK OIL RUBBED BRONZE BRIGHT CHROME STAINLESS STEEL	DULL BRASS FLAT BLACK OIL RUBBED BRONZE BRIGHT CHROME STAINLESS STEEL



# DOORLITE FRAMES



## ZEEL® FRAME

### A MINIMAL DESIGN WITH ENDLESS OPPORTUNITIES

ZEEL is a sleek, versatile frame designed to be stained or painted that blends seamlessly into the entry door, allowing the doorglass to take center stage. This clean, low-profile look offers an alternative to direct glazed doors that provides the benefits of a frame system with the style homeowners desire.

Traditional frames can warp when subject to severe temperature changes or direct sunlight exposure, especially when painted dark colors. FiberMate Plus® is our strongest material yet and exceeds performance expectations in extreme environments.

Resolve® sealant is immune to squeeze out and doesn't degrade over time, reducing service calls and warranty issues. This clean thermoset foam seal can be repositioned and stays consistent over time.

ZEEL eliminates the need for screws and cumbersome screw hole covers with an innovative clip system. This allows each frame to sit flush.

## EVOLVE® FRAME

The Evolve frame provides superior rigidity and eliminates bothersome squeeze-out through the use of Resolve™ sealant. This latest innovation reduces scalloping, corner flare, and warping.

- Auto-aligning and self-seating screw hole covers
- SolarShield White (no finishing required)
- FiberPro® Oak (easy to paint or stain)

# BLINDS BETWEEN GLASS



## SMART PRIVACY CONTROL

Enclosed Blinds bring an updated look, feel, and finish to your entryway while keeping the same benefits of maintenance-free light and privacy control of enclosed blinds. This latest design combines easy operating effort and long-lasting reliability that continues our over 20-year history of building the best-selling blinds between glass in the industry.

## TRIPLE GLAZED ENCLOSED BLINDS WITH GRIDS BETWEEN GLASS

These enclosed blinds are a perfect choice for people who value energy savings and quiet. The triple-glazed design with Low-E glass option reduces heat transmission by up to 28 percent and carries a 34 STC (Sound Transmission Coefficient) rating for sound suppression.

Beyond the comforts and practicalities of a triple-glazed doorglass lie stylish details, with the grids adding a warm aesthetic. The blind slats disappear behind the valance when they are fully raised for a clean, finished look. Blinds tilt and raise and lower the entire length of the door glass.

ODL is leading the industry in enclosed blinds that reduce the safety risk for children and pets. With no dangling cords, our blinds have received two certifications from the Window Covering Manufacturers Association and Parents for Window Blind Safety.





# PRIVACY AND DECORATIVE GLASS OPTIONS

From grandiose camed designs to elegant privacy glass, our decorative door glass is engineered and crafted to be exactly what your home needs.




## LOW-E PRIVACY GLASS

### CUMULUS





### RAIN



### CHINCHILLA




### BLANCA




### MICRO-GRANITE



## DECORATIVE GLASS




### NOUVEAU



- 1. GLUE CHIP GLASS
- 2. CLEAR BEVELS
- 3. PLATINUM NICKEL CAMING




### Heirlooms



- 1. GRANITE GLASS
- 2. GLUE CHIP GLASS
- 3. CLEAR BEVELS
- 4. BRASS CAMING





### GRACE




- 1. MICRO-CUBED GLASS
- 2. GRANITE GLASS
- 3. MICRO-GRANITE GLASS
- 4. CLEAR BEVELS
- 5. PATINA CAMING
- 6. SATIN NICKEL CAMING





### CROSSWALK




- 1. MICRO-ICED GRANITE GLASS
- 2. CLEAR SOFT WAVE GLASS
- 3. GRAY SOFT WAVE GLASS
- 4. PLATINUM NICKEL CAMING





### MONTEREY



- 1. MICRO-GRANITE GLASS
- 2. GRANITE GLASS
- 3. CLEAR BEVELS
- 4. PATINA CAMING
- 5. SATIN NICKEL CAMING



### COURTYARD



- 1. GRANITE GLASS
- 2. WROUGHT IRON CAMING



# PREMIUM FINISHES

## PRE-FINISHED STAIN OPTIONS


Sherwin-Williams® TruStain Waterborne Topcoat is an exterior grade, pigmented topcoat, designed to add durable color and finish to fiberglass doors.

We offer a variety of stain colors that enhance the look of our wood grain textured doors.




## PRE-FINISHED PAINT OPTIONS

Our state-of-the-art process produces a resilient and durable finish that can't be duplicated in the field. We use an environmentally friendly, water-based finish with a very low solvent content that provides proven durability in all weather conditions. Additional benefits include lasting color vibrancy, expanded color and finish retention, and high abrasion and humidity resistance. All of our finishes are backed by a 10-year warranty.



**SHERWIN-WILLIAMS**



ONYX pigment permeates the entire door skin to help prevent chipping and the durability of fiberglass reduces dents and scratches.

## plastpro® INFINITE FINISH

With pigmented fiberglass, the color stays put because it's built into your door. Enhanced pigmented fiberglass gives you enduring and impactful color without the frequent need to touch up paint.

Get the modern aesthetic of your dreams with the contemporary look of a black door with ONYX Finish in one of our Modern Series direct glazed styles.







ENTRY DOOR HARDWARE


From classic to modern, Harvey has durable door hardware from leading brands Schlage® and Kwikset® in a variety of designs and finishes.

HANDLESETS





ARLINGTON  
KWIKSET







CHELSEA  
KWIKSET







HAWTHORNE  
KWIKSET







MONTARA  
KWIKSET







PRESCOTT  
KWIKSET







SAN CLEMENTE  
KWIKSET







TAVARIS  
KWIKSET







ADDISON  
SCHLAGE







BROOKSHIRE  
SCHLAGE







CAMELOT  
SCHLAGE






CENTURY  
SCHLAGE






PLYMOUTH  
SCHLAGE




HANDLESETS, LEVERS AND KNOBS




KNOBS




ABBEY  
KWIKSET




K K  
P P




HANCOCK  
KWIKSET




K K K K  
P P P P




PISMO  
KWIKSET




K K K  
P P P




BELL  
SCHLAGE




K K K K K  
P P P P P




GEORGIAN  
SCHLAGE




K K K K K K K K  
P P P P P P P P




ORBIT  
SCHLAGE




K K K K K  
P P P P P




PLYMOUTH  
SCHLAGE



K K K K K  
P P P P P




SIENNA  
SCHLAGE




K K K K K  
P P P P P


LEVERS




DORIAN  
KWIKSET




K K K K  
P P P P




HALIFAX  
KWIKSET




K K K K  
P P P P




TUSTIN  
KWIKSET




K K K K  
P P P P




ACCENT  
SCHLAGE




K K K K K K K K  
P P P P P P P P




ELAN  
SCHLAGE




K K K K K  
P P P P P




FLAIR  
SCHLAGE



K K K K K K K K  
P P P P P P P P




JAZZ  
SCHLAGE




P P


KEY




AB Aged Bronze




AT Antique Brass




BB/PB Standard Bright Brass | SCHLAGE  
Polished Brass | KWIKSET




BC Bright Chrome




LB Lifetime Bright Brass




MB Matte Black



SC Satin Chrome



SN Satin Nickel




VB Venetian Bronze

K Keyed Entry

P Passage Hardware  
Non-Locking



PANOLOCK®+ MULTI-POINT LOCK



Thumb press, lever or knob. Even electronic deadbolts. PanoLock+ works with a variety of off-the-shelf hardware and many lock brands including Schlage® and Kwikset®.

Matching hardware throughout the house is now a possibility.

EASY TO LIVE WITH.


Unlike other locks that tend to catch, PanoLock+'s tapered bolts **A** engage easily, even when the door is out of alignment. A simple turn of the deadbolt operates both tapered bolts smoothly and the handle-set operates the handleset latch. PanoLock+ is easy to live with, even after years of use.

SECURE PERFORMANCE.

PanoLock+ delivers the strength of three locking points **B** for uncompromised protection. No weak hooks or catches. Just tested, proven strength.

THE PERFECT FIT.

Rollers **C** lower operating force and allow the tapered bolt to gently snug the door panel against the weatherstrip.



KEYLESS ENTRY SYSTEMS

Losing your house keys is a problem of the past with stylish and functional keyless entry options from industry leaders Schlage and Kwikset, featuring keypad, touch screen or fingerprint access.

SMART LOCKS Lock/unlock your door with the Bluetooth or WIFI connectivity options.

TOUCH SCREEN and FINGERPRINT ACCESS DEADBOLTS

CAMELOT - ENCODE	CENTURY - ENCODE	HALO - TOUCHSCREEN	HALO - TOUCH TRADITIONAL	HALO - TOUCH CONTEMPORARY
SCHLAGE WIFI ENABLED SMART HOME COMPATIBLE	SCHLAGE WIFI ENABLED SMART HOME COMPATIBLE	KWIKSET WIFI ENABLED SMART HOME COMPATIBLE	KWIKSET WIFI ENABLED SMART HOME COMPATIBLE	KWIKSET WIFI ENABLED SMART HOME COMPATIBLE

CONNECTED KEYLESS LOCKS Secured keyless entry locks and coordinating handle options.

TOUCH SCREEN ACCESS DEADBOLTS and HANDLES

CAMELOT - TOUCH	CENTURY - TOUCH	SMARTCODE 270 TRADITIONAL	SMARTCODE 270 CONTEMPORARY	CAMELOT - TOUCH ACCENT - LEVER	CENTURY - TOUCH LATITUDE - LEVER
SCHLAGE	SCHLAGE	KWIKSET	KWIKSET	SCHLAGE ONLY ONE BORE HOLE NEEDED	SCHLAGE ONLY ONE BORE HOLE NEEDED

KEYPAD ACCESS DEADBOLTS and HANDLES

CAMELOT - KEYPAD	CENTURY - KEYPAD	SMARTCODE 260 TRADITIONAL	SMARTCODE 260 CONTEMPORARY	CAMELOT - KEYPAD ACCENT LEVER	PLYMOUTH - KEYPAD PLYMOUTH KNOB
SCHLAGE	SCHLAGE	KWIKSET	KWIKSET	SCHLAGE ONLY ONE BORE HOLE NEEDED	SCHLAGE ONLY ONE BORE HOLE NEEDED



TRADITIONAL **SERIES**



BRUSHED SMOOTH TEXTURE



OAK GRAIN



MAHOGANY GRAIN

TRIED AND TRUE CLASSICS THAT ARE ALWAYS IN STYLE

The Traditional Series embodies elegance with styles that exude beauty and charm.

For a polished, neat look, our Brushed Smooth skin door styles are the perfect choice. Elevate your entryway with a selection from our range of 16 pre-finished paint options.

To infuse warmth and the natural look of wood into your home, explore our Oak and Mahogany textured door styles, available in six pre-finished stain options. With a variety of door and sidelite panel designs complemented by stylish decorative or privacy glass options, effortless sophistication is within reach.

PANEL OPTIONS



🔥 123BS

124BS

125BS

129BS


130BS



🔥 132BS



132BS



133BS



129OK



132OK



132MH

🔥 AVAILABLE IN  
20+ MIN FIRE DOOR





HALF LITE DOOR AND GLASS OPTIONS


CLEAR LOW-E GLASS FLUSH - 106BS DOOR

ZF ▲



CLEAR LOW-E  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

SF



VENTED LITE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲ ◇



INTERNAL BLINDS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

SF □ ◇



INTERNAL BLINDS  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF □



CONTOUR GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ■ □




FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲ ■



FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF □



FLAT PRAIRIE GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

EF ■




MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

PRIVACY LOW-E GLASS FLUSH - 106BS DOOR

ZF ▲



BLANCA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲




CHINCHILLA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲




CUMULUS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲




MICRO-GRANITE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

KEY

▲ 2'6" x 6'8" size available with Evolve Frame  
Glass = 20" x 36" for 2668  
Glass = 22" x 36" for 2868, 21068, 3068, 3668

■ Black GBG  
□ White GBG  
■ Silver Spacer  
◇ White Blinds

ZF Zeel Frame  
EF Evolve Frame  
SF Standard Frame

Door size depicted is 3068



TRADITIONAL BRUSHED SMOOTH

PRIVACY LOW-E GLASS FLUSH - 106BS DOOR CONT.

ZF ▲

RAIN  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

DECORATIVE GLASS FLUSH - 106BS DOOR

ZF ● ●

GRACE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●

HEIRLOOMS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ● ●

MONTEREY  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●

NOUVEAU  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●

CROSSWALK  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●

COURTYARD  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"



HALF LITE DOOR AND GLASS OPTIONS

CLEAR LOW-E GLASS 1-PANEL RAISED - 105BS DOOR

ZF

CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

SF

VENTED LITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ◇

INTERNAL BLINDS  
2'8" x 6'8" | 3'0" x 6'8"

SF □ ◇

INTERNAL BLINDS  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □

CONTOUR GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■ □

FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■

FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □

FLAT PRAIRIE GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■

MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■

APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■

APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

PRIVACY LOW-E GLASS 1-PANEL RAISED - 105BS DOOR

ZF

BLANCA  
2'8" x 6'8" | 3'0" x 6'8"

ZF

BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CHINCHILLA  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CUMULUS  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

MICRO-GRANITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

KEY

Glass = 22" x 36" for 2868 and 3068

- Black GBG
- White GBG
- Silver Spacer
- White Blinds

- Patina/Wrought Iron Caming
- Platinum/Satin Nickel Caming
- Brass Caming

- ZF Zeel Frame
- EF Evolve Frame
- SF Standard Frame


Door size depicted is 3068



TRADITIONAL BRUSHED SMOOTH


PRIVACY LOW-E GLASS 1-PANEL RAISED - 105BS DOOR

ZF




RAIN  
2'8" x 6'8" | 3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


DECORATIVE GLASS 1-PANEL RAISED - 105BS DOOR

ZF ● ●




GRACE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




HEIRLOOMS  
2'8" x 6'8" | 2'10" x 6'8"

ZF ● ●




MONTEREY  
2'8" x 6'8" | 2'10" x 6'8"

ZF ●




NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"



HALF LITE DOOR AND GLASS OPTIONS


CLEAR LOW-E GLASS 1-PANEL COTTAGE - 103BS DOOR

ZF




CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

SF




VENTED LITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ◇




INTERNAL BLINDS  
2'8" x 6'8" | 3'0" x 6'8"

SF □ ◇




INTERNAL BLINDS  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □




CONTOUR GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■ □




FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■




FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □




FLAT PRAIRIE GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■




MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"


ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"


PRIVACY LOW-E GLASS 1-PANEL COTTAGE - 103BS DOOR

ZF




BLANCA  
2'8" x 6'8" | 3'0" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CHINCHILLA  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CUMULUS  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




MICRO-GRANITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

KEY

Glass = 22" x 36" for 2868 and 3068

- Black GBG
- White GBG
- Silver Spacer
- ◇

White Blinds
- Patina/Wrought Iron Caming
- Platinum/Satin Nickel Caming
- Brass Caming

- ZF

Zeel Frame
- EF

Evolve Frame
- SF

Standard Frame


Door size depicted is 3068



TRADITIONAL BRUSHED SMOOTH


PRIVACY LOW-E GLASS 1-PANEL COTTAGE - 103BS DOOR CONT.

ZF




RAIN  
2'8" x 6'8" | 3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


DECORATIVE GLASS 1-PANEL COTTAGE - 103BS DOOR

ZF ● ● ●




GRACE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




HEIRLOOMS  
2'8" x 6'8" | 3'0" x 6'8"

ZF ● ● ●




MONTEREY  
2'8" x 6'8" | 2'10" x 6'8"

ZF ●




NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"



TOP LITE/HALF LITE DOORS AND GLASS OPTIONS

CLEAR GLASS 4-PANEL - 122BS, 121BS, 113BS DOORS

SF



CLEAR  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

SF



MOLDED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

SF



CLEAR  
2'8" x 6'8" | 3'0" x 6'8"

SF



MOLDED SDL  
2'8" x 6'8" | 3'0" x 6'8"


CLEAR LOW-E GLASS 2-PANEL - 102BS DOOR

ZF ▲




CLEAR LOW-E  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

SF



VENTED LITE  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲ ◇



INTERNAL BLINDS  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

SF □ ◇




INTERNAL BLINDS  
WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲ □




CONTOUR GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ■ □




FLAT GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲ ■




FLAT GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF □




FLAT PRAIRIE GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

EF ■




MOLDED SDL  
WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"


ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"


PRIVACY LOW-E GLASS 2-PANEL - 102BS DOOR

ZF ▲



BLANCA  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲




CHINCHILLA  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

KEY

▲ 2'6" x 6'8" size available with Evolve Frame  
Glass = 20" x 36" for 2668  
Glass = 22" x 36" for 2866, 2868, 21068, 3066, 3068  
R 3068 reinforced option for closer/panic hardware

■ Black GBG  
□ White GBG  
■ Silver Spacer  
◇ White Blinds

● Patina/Wrought Iron Caming  
● Platinum/Satin Nickel Caming  
● Brass Caming

ZF Zeel Frame  
EF Evolve Frame  
SF Standard Frame

Door size depicted is 3068



TRADITIONAL BRUSHED SMOOTH

PRIVACY LOW-E GLASS 2-PANEL - 102BS DOOR CONT.

ZF ▲

CUMULUS  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲

MICRO-GRANITE  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ▲

RAIN  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

DECORATIVE GLASS 2-PANEL - 102BS DOOR

ZF ● ●

GRACE  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●

HEIRLOOMS  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ● ●

MONTEREY  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●

NOUVEAU  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●

CROSSWALK  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●

COURTYARD  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

HALF LITE SIDELITE AND GLASS OPTIONS

CLEAR LOW-E GLASS 1-PANEL - 205BS SIDELITE

ZF

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

ZF □

CONTOUR GBG  
12" x 6'8" | 14" x 6'8"

ZF ■

FLAT GBG  
12" x 6'8" | 14" x 6'8"

EF ■

MOLDED SDL  
12" x 6'8" | 14" x 6'8"

ZF ■

APPLIED SDL  
12" x 6'8" | 14" x 6'8"

PRIVACY LOW-E GLASS 1-PANEL - 205BS SIDELITE

ZF

BLANCA  
12" x 6'8" | 14" x 6'8"

ZF

BLANCA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF

CHINCHILLA  
12" x 6'8" | 14" x 6'8"

ZF

CHINCHILLA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF

CUMULUS  
12" x 6'8" | 14" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF

MICRO-GRANITE  
12" x 6'8" | 14" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF

RAIN  
12" x 6'8" | 14" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

DECORATIVE GLASS 1-PANEL - 205BS SIDELITE

ZF ● ●

GRACE  
12" x 6'8" | 14" x 6'8"

ZF ●

HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

ZF ●

NOUVEAU  
12" x 6'8" | 14" x 6'8"

ZF ●

CROSSWALK  
12" x 6'8" | 14" x 6'8"

KEY

▲ 2'6" x 6'8" size available with Evolve Frame  
Glass = 20" x 36" for 2668  
Glass = 22" x 36" for 2866, 2868, 21068, 3066, 3068  
Glass = 8" x 36" for Half Lite Sidelites

● Black GBG  
□ White GBG  
■ Silver Spacer

● Patina/Wrought Iron Caming  
● Platinum/Satin Nickel Caming  
● Brass Caming

ZF Zeel Frame  
EF Evolve Frame

Door size depicted is 3068  
Sidelite size depicted is 14"

30


31



TRADITIONAL **BRUSHED SMOOTH**


CLEAR LOW-E GLASS 1-PANEL - 110BS DOOR

ZF




CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

ZF ◇




INTERNAL BLINDS  
2'8" x 6'8" | 3'0" x 6'8"

ZF □ ■




FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □ ■



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □ ■



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"


ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"


PRIVACY LOW-E GLASS 1-PANEL - 110BS DOOR

ZF




BLANCA  
2'8" x 6'8" | 3'0" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF




CHINCHILLA  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

3/4 LITE DOOR AND GLASS OPTIONS

PRIVACY LOW-E GLASS 1-PANEL - 110BS DOOR CONT.

ZF



RAIN  
2'8" x 6'8" | 3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


DECORATIVE GLASS 1-PANEL - 110BS DOOR

ZF ● ●




GRACE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




HEIRLOOMS  
2'8" x 6'8" | 3'0" x 6'8"

ZF ● ●




MONTEREY  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"


ZF ●



COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"


CLEAR LOW-E / DECORATIVE GLASS 1-PANEL HERITAGE OVAL LITE - 107BS DOOR

EF




CLEAR LOW-E  
3'0" x 6'8"

EF ● ●



GRACE  
3'0" x 6'8"

EF ●



HEIRLOOMS  
3'0" x 6'8"


EF ●



NOUVEAU  
3'0" x 6'8"


CLEAR LOW-E / DECORATIVE GLASS 2-PANEL ELITE OVAL LITE - 108BS DOOR

EF




CLEAR LOW-E  
3'0" x 6'8"

EF ● ●




GRACE  
3'0" x 6'8"

EF ●



HEIRLOOMS  
3'0" x 6'8"

EF ●



NOUVEAU  
3'0" x 6'8"

KEY

Glass = 22" x 48" for Rectangle Glass  
Glass = 16" x 40" for Oval Glass

- Black GBG
- White GBG
- Silver Spacer
- White Blinds

- Patina/Wrought Iron Caming
- Platinum/Satin Nickel Caming
- Brass Caming

- ZF Zeel Frame
- EF Evolve Frame

Door size depicted is 3068



TRADITIONAL BRUSHED SMOOTH

CLEAR LOW-E GLASS 1-PANEL - 210BS SIDELITE

ZF




CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

ZF 





FLAT GBG  
12" x 6'8" | 14" x 6'8"

ZF  





FLAT GBG  
12" x 6'8" | 14" x 6'8"

EF 





MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

EF 





MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

ZF 



APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


ZF 



APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


PRIVACY LOW-E GLASS 1-PANEL - 210BS SIDELITE

ZF




BLANCA  
12" x 6'8" | 14" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




BLANCA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




CHINCHILLA  
12" x 6'8" | 14" x 6'8"

ZF




CHINCHILLA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




CHINCHILLA  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




CUMULUS  
12" x 6'8" | 14" x 6'8"

ZF




CUMULUS  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




CUMULUS  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF




MICRO-GRANITE  
12" x 6'8" | 14" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"

3/4 LITE SIDELITE AND GLASS OPTIONS

PRIVACY GLASS 1-PANEL - 210BS SIDELITE CONT.

ZF



RAIN  
12" x 6'8" | 14" x 6'8"

ZF





RAIN  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"


ZF




RAIN  
WITH APPLIED SDL  
12" x 6'8" | 14" x 6'8"


DECORATIVE GLASS 1-PANEL - 210BS SIDELITE

ZF  






GRACE  
12" x 6'8" | 14" x 6'8"

ZF 





HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

ZF  





MONTEREY  
12" x 6'8" | 14" x 6'8"

ZF 



NOUVEAU  
12" x 6'8" | 14" x 6'8"




ZF 






CROSSWALK  
12" x 6'8" | 14" x 6'8"



**KEY**  
Glass = 8" x 48" for 3/4 Lite Sidelite

 Black GBG  
 White GBG  
 Silver Spacer

 Patina/Wrought Iron Caming  
 Platinum/Satin Nickel Caming  
 Brass Caming

**ZF** Zeel Frame  
**EF** Evolve Frame

Sidelite size depicted is 14"



TRADITIONAL BRUSHED SMOOTH

CLEAR LOW-E GLASS FULL LITE - 101BS DOOR

ZF ▲

CLEAR LOW E  
2'4" x 6'8" (Standard Frame)  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲ ◇

INTERNAL BLINDS  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

SF □ ◇

INTERNAL BLINDS  
WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'10" x 6'8"  
2'8" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF □

CONTOUR GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ▲ □

CONTOUR GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲ ■

FLAT GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF □

CLEAR LOW-E  
2'8" x 6'6" | 3'0" x 6'6"  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

EF ▲ ■

MOLDED SDL WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲ ■

APPLIED SDL WITH GBG  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

PRIVACY LOW-E GLASS FULL LITE - 101BS DOOR

ZF ▲

BLANCA  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

BLANCA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

CHINCHILLA  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

CUMULUS  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

CUMULUS  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

MICRO-GRANITE  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

RAIN  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

ZF ▲

RAIN  
WITH APPLIED SDL  
2'8" x 6'6" | 3'0" x 6'6"  
2'6" x 6'8" | 2'8" x 6'8"  
2'10" x 6'8" | 3'0" x 6'8"  
3'6" x 6'8"

FULL LITE DOOR / SIDELITE AND GLASS OPTIONS

CLEAR LOW-E GLASS FULL LITE - 201BS SIDELITE

ZF

CLEAR LOW-E  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

EF

INTERNAL BLINDS  
12" x 6'8" | 14" x 6'8"

ZF □

CONTOUR GBG  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ■

FLAT GBG  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

EF ■

MOLDED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

PRIVACY LOW-E GLASS FULL LITE - 201BS SIDELITE

ZF

BLANCA  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

BLANCA  
WITH APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

CHINCHILLA  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

CHINCHILLA  
WITH APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

CUMULUS  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

CUMULUS  
WITH APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

PRIVACY LOW-E GLASS / DECORATIVE GLASS FULL LITE - 201BS SIDELITE

ZF

MICRO-GRANITE  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

MICRO-GRANITE  
WITH APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

RAIN  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF

RAIN  
WITH APPLIED SDL  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ● ●

GRACE  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ●

HEIRLOOMS  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

DECORATIVE GLASS FULL LITE - 201BS SIDELITE

ZF ● ●

MONTEREY  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ●

NOUVEAU  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ●

CROSSWALK  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ●

COURTYARD  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

ZF ●

BAYPOINT  
10" x 6'8" | 12" x 6'8"  
14" x 6'8"

KEY

- ▲ 2'6" x 6'8" size available with Evolve Frame
- Glass = 20" x 64" for 2668
- Glass = 22" x 64" for 2866, 2868, 21068, 3066, 3068, 3668
- Glass = 7" x 64" for Brushed Smooth Full Lite Sidelites
- R 3068 reinforced option for closer/panic hardware

- Black GBG
- White GBG
- Silver Spacer
- ◇ White Blinds

- Patina/Wrought Iron Caming
- Platinum/Satin Nickel Caming
- Brass Caming

- ZF Zeel Frame
- EF Evolve Frame
- SF Standard Frame

Door size depicted is 3068  
Sidelite size depicted is 14"



TRADITIONAL OAK & MAHOGANY

CLEAR LOW-E GLASS OAK - 102OK, 110OK, 101OK DOORS

EF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

EF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

EF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

DECORATIVE GLASS OAK - 102OK, 110OK DOORS

EF ● ●



GRACE  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



HEIRLOOMS  
2'8" x 6'8" | 3'0" x 6'8"

EF ● ●



MONTEREY  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"

EF ● ●



GRACE  
3'0" x 6'8"

EF ●



HEIRLOOMS  
3'0" x 6'8"

EF ● ●



MONTEREY  
3'0" x 6'8"

EF ●



NOUVEAU  
3'0" x 6'8"

EF ●



CROSSWALK  
3'0" x 6'8"

EF ●



COURTYARD  
3'0" x 6'8"

CLEAR LOW-E GLASS MAHOGANY - 102MH, 101MH DOORS

EF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

EF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■




MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

DOOR / SIDELITE AND GLASS OPTIONS


DECORATIVE GLASS MAHOGANY - 102MH DOOR

EF ● ●




GRACE  
2'8" x 6'8" | 3'0" x 6'8"

EF ●




HEIRLOOMS  
2'8" x 6'8" | 3'0" x 6'8"

EF ● ●




MONTEREY  
2'8" x 6'8" | 3'0" x 6'8"

EF ●




NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"

EF ●



COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"

CLEAR LOW-E GLASS OAK - 205OK, 210OK, 201OK SIDELITES

EF



CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

EF



CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

EF



CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


EF ■



MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


DECORATIVE GLASS OAK - 205OK, 210OK SIDELITES

EF ● ●




GRACE  
12" x 6'8" | 14" x 6'8"

EF ●




HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

EF ●



NOUVEAU  
12" x 6'8" | 14" x 6'8"

EF ●




CROSSWALK  
12" x 6'8" | 14" x 6'8"

EF ● ●



GRACE  
12" x 6'8" | 14" x 6'8"

EF ●



Heirlooms  
12" x 6'8" | 14" x 6'8"

EF ● ●



MONTEREY  
12" x 6'8" | 14" x 6'8"

EF ●



NOUVEAU  
12" x 6'8" | 14" x 6'8"

EF ●



CROSSWALK  
12" x 6'8" | 14" x 6'8"

KEY

Glass = 22" x 36" for Half Lite Doors  
Glass = 22" x 48" for 3/4 Lite Doors  
Glass = 22" x 64" Full Lite Doors  
Glass = 8" x 36" for Half Lite Sidelites  
Glass = 8" x 48" for 3/4 Lite Sidelites  
Glass = 8" x 64" for Oak Full Lite Sidelites

■ Silver Spacer

● Patina/Wrought Iron Caming  
● Platinum/Satin Nickel Caming  
● Brass Caming

EF Evolve Frame


Door size depicted is 3068  
Sidelite size depicted is 14"



SIDELITE AND GLASS OPTIONS


DECORATIVE GLASS OAK - 201OK SIDELITE

EF ● ●




GRACE  
12" x 6'8" | 14" x 6'8"

EF ●




HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

EF ●



NOUVEAU  
12" x 6'8" | 14" x 6'8"

EF ● ●



MONTEREY  
12" x 6'8" | 14" x 6'8"

EF ●



CROSSWALK  
12" x 6'8" | 14" x 6'8"

EF ●



COURTYARD  
12" x 6'8" | 14" x 6'8"

CLEAR LOW-E GLASS MAHOGANY - 205MH, 201MH SIDELITES

EF



CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

EF



CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


EF ■



MOLDED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"


DECORATIVE GLASS MAHOGANY - 205MH SIDELITE

EF ● ●




GRACE  
12" x 6'8" | 14" x 6'8"

EF ●




HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

EF ●



NOUVEAU  
12" x 6'8" | 14" x 6'8"

EF ●




CROSSWALK  
12" x 6'8" | 14" x 6'8"

SIDELITE AND GLASS OPTIONS


DECORATIVE GLASS MAHOGANY - 201MH SIDELITE

EF ● ●




GRACE  
12" x 6'8" | 14" x 6'8"

EF ●




HEIRLOOMS  
12" x 6'8" | 14" x 6'8"

EF ●




NOUVEAU  
12" x 6'8" | 14" x 6'8"

EF ● ●




MONTEREY  
12" x 6'8" | 14" x 6'8"

EF ●



CROSSWALK  
12" x 6'8" | 14" x 6'8"

EF ●



COURTYARD  
12" x 6'8" | 14" x 6'8"



**KEY**

Glass = 8" x 36" for Half Lite Sidelites

Glass = 8" x 48" for 3/4 Lite Sidelites

Glass = 8" x 64" for Mahogany Full Lite Sidelites



Silver Spacer



Patina/Wrought Iron Caming



Platinum/Satin Nickel Caming



Brass Caming

EF Evolve Frame

Sidelite size depicted is 14"

40

41



# CRAFTSMAN SERIES



DENTIL SHELF



BAYPOINT GLASS




PRIVACY RATING

MED

1. CLEAR SEEDY GLASS  
2. GRAY BUBBLE GLASS  
3. HAMMERED GLASS  
4. PATINA CAMING



BRUSHED SMOOTH TEXTURE



FIR GRAIN

## HERITAGE STYLING MEETS CONTEMPORARY DESIGN

If you want an entrance that combines historical styling and modern appeal, the Craftsman Series is the best place to start. These doors combine notable design elements of 19th and 20th century architecture with modern engineering, featuring panels with shaker profiles.

In addition to direct glazed options, the Craftsman Series decorative glass lineup includes Baypoint, a contemporary nod to traditional doorglass that exudes lived-in luxury with its thoughtful minimalism. Boost the charm factor by adding a dentil shelf or simulated divided lite grids.

Available in perfect-for-painting Brushed Smooth texture or realistic Fir grain.

## PANEL OPTIONS

DIRECT GLAZED

111BS

131BS

126BS

DIRECT GLAZED

111FR

127FR

128FR



CRAFTSMAN BRUSHED SMOOTH

CLEAR LOW-E GLASS 2-PANEL DIRECT GLAZED - 111BS DOOR

DG



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

DG



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

DIRECT GLAZED

DG



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

CLEAR LOW-E GLASS 2-PANEL - 112BS DOOR

ZF



CLEAR LOW-E  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



FLAT GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

CRAFTSMAN DOOR AND GLASS OPTIONS

PRIVACY LOW-E GLASS 2-PANEL - 112BS DOOR

ZF



BLANCA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CUMULUS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



MICRO-GRANITE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

KEY

Glass = 22" x 15" for Craftsman Lite Doors

Black GBG

ZF Zeel Frame  
DG Direct Glazed

Door size depicted is 3068



CRAFTSMAN BRUSHED SMOOTH

PRIVACY LOW-E GLASS 2-PANEL - 112BS DOOR CONT.

ZF



RAIN  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

DECORATIVE GLASS 2-PANEL - 112BS DOOR

ZF ● ●



MONTEREY  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●



COURTYARD  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

ZF ●



BAYPOINT  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8"

CLEAR LOW-E GLASS 1-PANEL SHAKER - 126BS DOOR

ZF



CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

SF



VENTED LITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ◇



INTERNAL BLINDS  
2'8" x 6'8" | 3'0" x 6'8"

SF □ ◇



INTERNAL BLINDS  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □



CONTOUR GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■ □



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■



FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF □



FLAT PRAIRIE GBG  
2'8" x 6'8" | 3'0" x 6'8"

EF ■



MOLDED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

ZF ■



APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

SHAKER DOOR AND GLASS OPTIONS

PRIVACY LOW-E GLASS 1-PANEL SHAKER - 126BS DOOR

ZF



BLANCA  
2'8" x 6'8" | 3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



BLANCA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CHINCHILLA  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CHINCHILLA  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



CUMULUS  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



MICRO-GRANITE  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

ZF



RAIN  
2'8" x 6'8" | 3'0" x 6'8"

ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


ZF



RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"


DECORATIVE GLASS 1-PANEL SHAKER - 126BS DOOR

ZF ● ●




GRACE  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




HEIRLOOMS  
2'8" x 6'8" | 3'0" x 6'8"

ZF ● ●




MONTEREY  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●




NOUVEAU  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 3'0" x 6'8"

ZF ●



COURTYARD  
2'8" x 6'8" | 3'0" x 6'8"

KEY

Glass = 22" x 36" for Half Lite Doors  
Glass = 22" x 15" for Craftsman Lite Doors

- Black GBG
- White GBG
- Silver Spacer
- White Blinds

- Patina/Wrought Iron Caming
- Platinum/Satin Nickel Caming
- Brass Caming

- ZF Zeel Frame
- EF Evolve Frame
- SF Standard Frame

Door size depicted is 3068



CRAFTSMAN FIR AND BRUSHED SMOOTH

CLEAR LOW-E GLASS 2-PANEL DIRECT GLAZED - 111FR DOOR

DG

CLEAR LOW-E  
3'0" x 6'8"

DG

FLAT GBG  
3'0" x 6'8"

DG

FLAT GBG  
3'0" x 6'8"

DG

FLAT GBG  
3'0" x 6'8"

DG

FLAT GBG  
3'0" x 6'8"

DG

APPLIED SDL  
WITH GBG  
3'0" x 6'8"

DG

APPLIED SDL  
WITH GBG  
3'0" x 6'8"

DG

APPLIED SDL  
WITH GBG  
3'0" x 6'8"

DG

APPLIED SDL  
WITH GBG  
3'0" x 6'8"

CLEAR LOW-E GLASS DIRECT GLAZED - 211BS/211FR, 200BS/200FR SIDELITES

DG

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

DG

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

DG

FLAT GBG  
12" x 6'8" | 14" x 6'8"

DG

FLAT GBG  
12" x 6'8" | 14" x 6'8"

DG

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

DG

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

DG

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

DG

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

DG

FLAT GBG  
12" x 6'8" | 14" x 6'8"

DG

FLAT GBG  
12" x 6'8" | 14" x 6'8"

DG

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

DG

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"



KEY

Glass = 22" x 15" for Craftsman Lite Doors  
Glass = 8" x 16" for Craftsman Sidelites

Black GBG

DG Direct Glazed


Door size depicted is 3068  
Sidelite size depicted is 14"



# MODERN SERIES




BRUSHED SMOOTH



BRUSHED SMOOTH ONYX

## PANEL OPTIONS



## 1, 3, 5 LITE DOOR AND GLASS OPTIONS

CLEAR LOW-E GLASS - 114(L)/115(C)/116(R)BS, 117BS, 118(L)/119(C)/120(R)BS DOORS



CLEAR LOW-E  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS



CLEAR LOW-E  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"




CLEAR  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS



MODERN BRUSHED SMOOTH


PRIVACY LOW-E GLASS 3-LITE - 117BS DOOR

ZF




BLANCA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF




CHINCHILLA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF




CUMULUS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF



MICRO-GRANITE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"


ZF



RAIN  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"


DECORATIVE GLASS 3-LITE - 117BS DOOR

ZF ● ●




MONTEREY  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●



CROSSWALK  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

ZF ●



COURTYARD  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"

PRIVACY LOW-E GLASS 1-LITE - 114(L)/115(C)/116(R)BS DOORS

ZF



BLANCA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF



CHINCHILLA  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF



CUMULUS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF



MICRO-GRANITE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS


ZF



RAIN  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS


DECORATIVE GLASS 1-LITE - 114(L)/115(C)/116(R)BS DOORS

ZF ● ●




GRACE  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF ●




HEIRLOOMS  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF ●




NOUVEAU  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF ●



CROSSWALK  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS

ZF ●




COURTYARD  
2'8" x 6'8" | 2'10" x 6'8"  
3'0" x 6'8" | 3'6" x 6'8"  
AVAILABLE IN LEFT, CENTER,  
AND RIGHT CONFIGURATIONS



DIRECT GLAZED MODERN SERIES

Enhance the aesthetics and natural lighting of your home with direct glazed glass in 3/4 and full lite configurations that create a seamless and elegant design.

Take a step further with our durable ONYX pigmented fiberglass skin that gives you the contemporary look of a black door, but without the need for frequent maintenance or painting.



- 1 COMPOSITE STILE CAP

2 INSULATED 1" GLASS

3 BRUSHED SMOOTH TEXTURE
- 4 COMPRESSION MOLDED FIBERGLASS SKIN

5 INTEGRALLY MOLDED GLASS STOP

KEY

Glass = 7" x 64" for 1-Lite Doors  
Glass = 22" x 15" for 2-Lite Doors

- Patina/Wrought Iron Caming

● Platinum/Satin Nickel Caming

● Brass Caming
- ZF Zeel Frame

Door size depicted is 3068



MODERN BRUSHED SMOOTH



CLEAR LOW-E GLASS DIRECT GLAZED - 109BS/109BO/100BS/100BO DOORS

DG

DG ■■

DG ■

DG ■■ ■■

DG ■

DG ■■ ■■

CLEAR LOW-E  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

FLAT GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

FLAT GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

DG ■

DG ■■ ■■

DG ■

DG ■■ ■■

DG ◇

APPLIED SDL  
WITH GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

APPLIED SDL  
WITH GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

INTERNAL BLINDS  
2'8" x 6'8" | 3'0" x 6'8"

DG

DG ■■

DG ■

DG ■■ ■■

DG ■

DG ■■ ■■

CLEAR LOW-E  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

CLEAR LOW-E  
2'8" x 6'8" | 3'0" x 6'8"

FLAT GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

FLAT GBG  
2'8" x 6'8" | 3'0" x 6'8"

APPLIED SDL  
WITH GBG  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

APPLIED SDL  
WITH GBG  
2'8" x 6'8" | 3'0" x 6'8"

PRIVACY LOW-E GLASS DIRECT GLAZED DOORS - 109BS/109BO DOOR

DG

DG ■■

DG

DG ■■

DG

DG ■■

RAIN  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

RAIN  
2'8" x 6'8" | 3'0" x 6'8"

RAIN  
WITH APPLIED SDL  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

RAIN  
WITH APPLIED SDL  
2'6" x 6'8" | 2'8" x 6'8"  
3'0" x 6'8"

RAIN  
WITH APPLIED SDL  
2'8" x 6'8" | 3'0" x 6'8"

DIRECT GLAZED DOOR / SIDELITE AND GLASS OPTIONS



CLEAR LOW-E GLASS 3/4 LITE DIRECT GLAZED - 209BO/209 BS SIDELITE

DG ■■

DG

DG ■■ ■■

DG ■

DG ■■ ■■

DG ■

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

DG ■■ ■■

DG ■

DG ■■ ■■

DG ■

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

PRIVACY LOW-E GLASS 3/4 LITE DIRECT GLAZED - 209BO/209 BS SIDELITE

DG ■■

DG

RAIN  
12" x 6'8" | 14" x 6'8"

RAIN  
12" x 6'8" | 14" x 6'8"

CLEAR LOW-E GLASS FULL LITE DIRECT GLAZED - 200BO/200 BS SIDELITES

DG ■■

DG

DG ■■ ■■

DG ■

DG ■■ ■■

DG ■

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

CLEAR LOW-E  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

FLAT GBG  
12" x 6'8" | 14" x 6'8"

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

APPLIED SDL  
WITH GBG  
12" x 6'8" | 14" x 6'8"

KEY

Direct glazed visible measurements vary by style and size.

■ Black GBG  
◇ White Blinds  
■ ONYX Finish

DG Direct Glazed

Door size depicted is 3068  
Sidelite size depicted is 14"



SPECIALTY SERIES

Plastpro's Fire Rated doors are made with fire-resistant composite creating an extremely durable entryway. Doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes.



- 1

EXTENDED LOCKBLOCK

Full-length LVL increases the rigidity of the door.
- 2

FIRE RETARDANT COMPOSITE

HFO Polyurethane fire rated foam system is specially formulated to withstand fire.
- 3

FULL LENGTH COMPOSITE STILES


Full-length composite stiles protect the door from external exposure.
- 4

PLASTPRO® EXCLUSIVE SMC SKIN

Skin material is specially formulated and comes two panel configurations.
- 5

COMPOSITE BOTTOM RAIL

High strength rails prevent moisture from seeping into the door.



20-MIN FIRE DOOR OPTIONS

FIBERGLASS SOLID - 132F20/123F20 DOORS



2'8" x 6'8" | 3'0" x 6'8"      2'8" x 6'8" | 3'0" x 6'8"

STEEL SOLID - 332F20/332F90 DOOR



20-Minute and 90-Minute 6-Panel steel fire doors are also available.

HARVEY ENTRY DOOR SYSTEM – LIMITED LIFETIME WARRANTY

Harvey Entry Door Systems are manufactured from raw materials of the highest quality using the most up-to-date and modern production techniques and are guaranteed to be free of defects in material and workmanship. They are warranted for residential installations as follows.

LIFETIME WARRANTY – COMPONENTS

Harvey Entry Door System slabs, frames, hardware, and components such as hinges, weatherstrip, door bottom, and astragals are warranted against defects in material and workmanship for as long as the original purchaser owns and resides in the home in which they are installed.

LIFETIME WARRANTY – INSULATED GLASS

Insulating glass, including blinds between glass, inserts, decorative, and applied grids is warranted against material obstruction of transparency resulting from film formation or dust collection on the interior surfaces for as long as the original purchaser owns and resides in the home in which they are installed.

TRANSFERABILITY

If the original purchaser sells the property in which the doors are installed, the coverage provided by this warranty will be limited to only the next subsequent owner and will be twenty (20) years from the date of manufacture.

EXCLUSIONS AND LIMITATIONS

The above warranty periods commence on the date of shipment from the manufacturing facility. Steel doors are covered for a period of ten (10) years.

This warranty excludes defects or failures caused by normal wear and tear; broken glass; damages resulting from improper installation; damage caused by corrosive fumes, stains, contact with chemically abrasive substances; damage caused by airborne pollutants such as salt or acid rain; negligence or unreasonable use (including failure to provide reasonable and necessary maintenance); damage caused by shipping or any other means of transportation or handling that occur after the product leaves the manufacturing facility; stress resulting from localized application of heat that causes excessive temperature differential over the door or glass surface or the edges of the unit; damage caused by high winds, floods, and/or conditions that exceed product design ratings; damage resulting

from fire, lightning, windstorms, earthquakes, windborne objects, strain applied to the unit by movement of the building or building components, or inadequate provision for expansion or contraction of framing members; condensation, which is a natural result of humidity within the home and the difference between the internal and exterior temperatures; installation in ships, vehicles, or outside the continental United States; seal failure if the seal has been subject to immersion in water; acts of God or other causes beyond the control of the manufacturer.

This warranty covers only manufacturing defects, is limited to repairing or replacing defective parts or components, and providing return transportation to the manufacturer's nearest place of business, and does not include labor or other costs incurred in the removal, replacement, installation, or reinstallation of the product or any part or component of the product. Harvey Building Products reserves the right to discontinue or modify any of its products without notice and will not be liable under this limited warranty as a result of such discontinuance or modification and will have the right to substitute products which, in its sole discretion, are of equal value and quality.

This warranty is intended to cover individual homeowners and does not apply to products purchased by or installed in commercial applications such as property owned by corporations, governmental agencies, partnerships, trusts, religious organizations, schools, or cooperative housing arrangements, or installed on apartment buildings or any other type of buildings or premises not used by individual homeowners as their residence. For such purchasers or entities to which this coverage does not apply, the warranty period will be ten (10) years following the date of original installation.

The statements contained herein set forth the only express warranties of the above products. Any implied warranties imposed by law, such as implied warranties of merchantability or fitness for a particular purpose, are limited in time to the duration of the above express warranties. The manufacturer shall not be liable to the buyer for incidental or consequential damages for breach of any written or implied warranty.

Some states do not allow limitations on how long an implied warranty lasts, and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

CLAIMS PROCEDURES

The product should first be inspected by the company that sold and installed the product to the homeowner within a reasonable time after discovery of a problem to determine if the problem is installation or product related.

To make a claim under this warranty for a product defect, either the contracting company or the homeowner should notify Harvey Building Products by calling our Field Service Department at 1-800-822-0437, visiting our website at harveywindows.com, or sending an email to fieldservice@harveybp.com. The claim must identify the company that the product was purchased from, the door type, installation date, serial number and the specific defect.

CONTRACTING COMPANY

Name \_\_\_\_\_  
Address \_\_\_\_\_  
Installation Date \_\_\_\_\_  
Order # \_\_\_\_\_  
Phone \_\_\_\_\_

HOMEOWNER / PURCHASER

Name \_\_\_\_\_  
Address \_\_\_\_\_



DOOR OPENING DIMENSIONS

6'8 Doors Call Size Width		Actual Frame Width	Stud-to-Stud RO Min. Width	Standard Sill Unit Height				ADA Sill Unit Height			
				Inswing Actual Frame Height	Inswing Frame RO Height	Outswing Actual Frame Height	Outswing Frame RO	Inswing Actual Frame Height	Inswing Frame RO	Outswing Actual Frame Height	Outwing Frame RO
Single	2'4"	29-7/16"	30-3/16"	82"	82-1/2"	80-5/8"	81-3/8"	80-15/16"	81-7/16"	TBD	TBD
	2'6"	31-7/16"	32-3/16"								
	2'8"	33-7/16"	34-3/16"								
	2'10"	35-7/16"	36-3/16"								
	3'0"	37-7/16"	38-3/16"								
	3'6"	43-7/16"	44-3/16"								
Double	4'8"	57-7/8"	58-5/8"	82"	82-1/2"	80-5/8"	81-3/8"	80-15/16"	81-7/16"	TBD	TBD
	5'0"	61-7/8"	62-5/8"								
	5'4"	65-7/8"	66-5/8"								
	5'8"	69-7/8"	70-5/8"								
	6'0"	73-7/8"	74-5/8"								
	7'0"	85-7/8"	86-5/8"								
Patio	5'0"	62-5/16"	63-1/16"	82"	82-1/2"	–	–	–	–	–	–
	5'8"	70-5/16"	71-1/16"								
	6'0"	74-5/16"	75-1/16"								

For 6'6" doors, minus 2" from 6'8" frame height and and RO height.

HANDING AND SWING SHOWN FROM OUTSIDE VIEW

INSWING



SINGLE - LEFT HINGE

INSWING



SINGLE - RIGHT HINGE

OUTSWING



SINGLE - LEFT HINGE

OUTSWING



SINGLE - RIGHT HINGE

INSWING



DOUBLE - ACTIVE LEFT

INSWING



DOUBLE - ACTIVE RIGHT

OUTSWING




DOUBLE - ACTIVE LEFT

OUTSWING




DOUBLE - ACTIVE RIGHT

INSWING ONLY



PATIO  
ARS - LEFT HINGE

INSWING ONLY



PATIO  
SAL - RIGHT HINGE

6'8 Doors Fixed Sidelites Call Size Width	Actual Frame Width			Stud-to-Stud RO Min. Width		
	10"	12"	14"	10"	12"	14"
2'4" Single Door w/1 sidelite	40-15/16"	42-15/16"	44-5/16"	41-11/16"	43-11/16"	45-11/16"
2'6" Single Door w/1 sidelite	42-15/16"	44-15/16"	46-5/16"	43-11/16"	45-11/16"	47-11/16"
2'8" Single Door w/1 sidelite	44-15/16"	46-15/16"	48-5/16"	45-11/16"	47-11/16"	49-11/16"
2'10" Single Door w/1 sidelite	46-15/16"	48-15/16"	50-5/16"	47-11/16"	49-11/16"	51-11/16"
3'0" Single Door w/1 sidelite and continuous sill	48-7/16"	50-7/16"	52-7/16"	49-3/16"	51-3/16"	53-3/16"
3'0" Single Door w/1 sidelite	48-15/16"	50-15/16"	52-15/16"	49-11/16"	51-11/16"	53-11/16"
3'6" Single Door w/1 sidelite	54-15/16"	56-15/16"	58-15/16"	55-11/16"	57-11/16"	59-11/16"
2'4" Single Door w/2 sidelites	52-7/16"	56-7/16"	60-7/16"	53-3/16"	57-3/16"	61-3/16"
2'6" Single Door w/2 sidelites	54-7/16"	58-7/16"	62-7/16"	55-3/16"	59-3/16"	63-3/16"
2'8" Single Door w/2 sidelites	56-7/16"	60-7/16"	64-7/16"	57-3/16"	61-3/16"	65-3/16"
2'10" Single Door w/2 sidelites	58-7/16"	62-7/16"	66-7/16"	59-3/16"	63 -3/16"	67-3/16"
3'0" Single Door w/2 sidelites and continuous sill	59-1/2"	63-1/2"	67-1/2"	60-1/4"	64-1/4"	68-1/4"
3'0" Single Door w/2 sidelites	60-7/16"	64-7/16"	68-7/16"	61-3/16"	65-3/16"	69-3/16"
3'6" Single Door w/2 sidelites	66-7/16"	70-7/16"	74-7/16"	67-3/16"	71-3/16"	75-3/16"
4'8" Double Door w/1 sidelite	69-3/8"	71-3/8"	73-3/8"	70-1/8"	72-1/8"	74-1/8"
5'0" Double Door w/1 sidelite	73-3/8"	75-3/8"	77-3/8"	74-1/8"	76-1/8"	78-1/8"
5'4" Double Door w/1 sidelite	77-3/8"	79-3/8"	81-3/8"	78-1/8"	80-1/8"	82-1/8"
5'8" Double Door w/1 sidelite	81-3/8"	83-3/8"	85-3/8"	82-1/8"	84-1/8"	86-1/8"
6'0" Double Door w/1 sidelite	85-3/8"	87-3/8"	89-3/8"	86-1/8"	88-1/8"	90-1/8"
7'0" Double Door w/1 sidelite	97-3/8"	99-3/8"	101-3/8"	98-1/8"	100-1/8"	102-1/8"
4'8" Double Door w/2 sidelites	80-7/8"	84-7/8"	88-7/8"	81-5/8"	85-5/8"	89-5/8"
5'0" Double Door w/2 sidelites	84-7/8"	88-7/8"	92-7/8"	85-5/8"	89-5/8"	93-5/8"
5'4" Double Door w/2 sidelites	88-7/8"	92-7/8"	96-7/8"	89-5/8"	93-5/8"	97-5/8"
5'8" Double Door w/2 sidelites	92-7/8"	96-7/8"	100-7/8"	93-5/8"	97-5/8"	101-5/8"
6'0" Double Door w/2 sidelites	96-7/8"	100-7/8"	104-7/8"	97-5/8"	101-5/8"	105-5/8"
7'0" Double Door w/ 2 sidelites	108-7/8"	112-7/8"	116-7/8"	109-5/8"	113-5/8"	117-5/8"

For frame and RO heights, see chart on page 58 based on your sill selection.

6'8 Doors with Transom Call Size Width	Actual Frame Width	Stud-to-Stud RO Min. Width	Frame Height		Stud-to-Stud RO Height	
			12"	14"	12"	14"
3'0" Single Door w/ Transom	37-7/16"	38-3/16"	94"	96"	94-1/2"	96-1/2"
3'0" Single Door w/2 -12" sidelites (boxed sill)	64-7/16"	65-3/16"	94"	96"	94-1/2"	96-1/2"
3'0" Single Door w/2 -12" sidelites (continuous sill)	63-1/2"	64-1/4"	94"	96"	94-1/2"	96-1/2"
6'0" Double Door	73-7/8"	74-5/8"	94"	96"	94-1/2"	96-1/2"

Transoms available knock-down in widths above at heights of 12" or 14".





**HARVEY**  
WINDOWS + DOORS

Visit us at [harveywindows.com](https://harveywindows.com)

© 2024 Harvey Windows + Doors. Due to printing limitations, finishes and colors shown in this brochure are for representation only.