

Template 5 251060 5

Template 5 251060 5

For precise routings in conjunction with SIMONSWERK jig technique



Notes

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

Suitable for

TE 540 3D	3/4" router bit / 1" collar ring (step 1)
TE 540 3D A8	3/4" router bit / 1" collar ring (step 1)
TE 540 3D Energy Kit	3/4" router bit / 1" collar ring (step 1)
TE 540 3D A8 Energy Kit	3/4" router bit / 1" collar ring (step 1)

Item versions

Finish	without (SW 000)
VPE	pack of 1
DIN	non-handed
Article number	5 251060 5 00001
EAN	4015471112233

Template 5 251061 5

Template 5 251061 5

For precise routings in conjunction with SIMONSWERK jig technique



Notes

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

Suitable for

TE 540 3D	3/4" router bit / 1" collar ring (step 2)
TE 540 3D A8	3/4" router bit / 1" collar ring (step 2)
TE 540 3D Energy Kit	3/4" router bit / 1" collar ring (step 2)
TE 540 3D A8 Energy Kit	3/4" router bit / 1" collar ring (step 2)

Item versions

Finish	without (SW 000)
VPE	pack of 1
DIN	non-handed
Article number	5 251061 5 00001
EAN	4015471112240

Template 5 251068 5

Template 5 251068 5

For precise routings in conjunction with SIMONSWERK jig technique



Notes

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

Suitable for

TE 541 3D FVZ	3/4" router bit / 1" collar ring (frame, step 3)
TE 540 3D A8	3/4" router bit / 1" collar ring (step 3)

Item versions

Finish	without (SW 000)
VPE	pack of 1
DIN	non-handed
Article number	5 251068 5 00001
EAN	4015471112257

Template 5 251096 5

Template 5 251096 5

For precise routings in conjunction with SIMONSWERK jig technique



Notes

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

Suitable for

TE 540 3D A8	3/4" router bit / 1" collar ring (step 3 without cladding)
TE 540 3D A8 Energy Kit	3/4" router bit / 1" collar ring (step 3 without cladding)

Item versions

Finish	without (SW 000)
VPE	pack of 1
DIN	non-handed
Article number	5 251096 5 00001
EAN	4015471121334