## **Template 5 251064 5**

# **Template 5 251064 5**

For precise routings in conjunction with SIMONSWERK jig technique



#### **Notes**

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

## Suitable for

TE 645 3D	3/4" router bit / 1" collar ring (frame, step 1)
TE 645 3D Energy Kit	3/4" router bit / 1" collar ring (frame, step 1)

## **Template 5 251065 5**

# **Template 5 251065 5**

For precise routings in conjunction with SIMONSWERK jig technique



### **Notes**

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

## Suitable for

TE 645 3D	3/4" router bit / 1" collar ring (frame, step 2)
TE 645 3D Energy Kit	3/4" router bit / 1" collar ring (frame, step 2)

Finish	without (SW 000)
VPE	pack of 1
DIN	non-handed
Article number	5 251065 5 00001
EAN	4015471112325

## **Template 5 251066 5**

# **Template 5 251066 5**

For precise routings in conjunction with SIMONSWERK jig technique



### **Notes**

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

## Suitable for

TE 645 3D	3/4" router bit / 1" collar ring (door, step 1)
TE 645 3D Energy Kit	3/4" router bit / 1" collar ring (door, step 1)

without (SW 000)
pack of 1
non-handed
5 251066 5 00001
4015471112332

## **Template 5 251067 5**

# **Template 5 251067 5**

For precise routings in conjunction with SIMONSWERK jig technique



### **Notes**

All indicated dimensions of angle and rail are just standards which may vary on the actual measurements depending on the construction. Where applicable, a trial routing is recommended.

## Suitable for

TE 645 3D	3/4" router bit / 1" collar ring (door, step 2)
TE 645 3D Energy Kit	3/4" router bit / 1" collar ring (door, step 2)

without (SW 000)
pack of 1
non-handed
5 251067 5 00001
4015471112356