

# THE SMARTER SHEATHING SYSTEM

FOR WALLS AND SLOPED ROOFS ON RESIDENTIAL PROJECTS



# LEAVE NOTHING TO CHANCE

## Stay ahead of time, labor and weather issues with ForceField® Weather Barrier System.

Reduce the number of times you're called back to handle repairs from weather-related challenges by choosing the right materials for your residential construction projects.

Georgia-Pacific—the leader in building products—brings you ForceField Weather Barrier System, the integrated water-resistive barrier (WRB) sheathing system. For use on walls and sloped roofs across your wood-framed residential structures, it simplifies construction and reduces the number of trips around the building compared to traditional systems.

Integrated WRB sheathing panels and system accessories work together to help achieve a continuous barrier that enables you to dry in buildings faster, protecting your homes and your reputation.



EASY TO INSTALL



VERSATILE



TOUGH




### ForceField Weather Barrier System for Walls:

- Use ForceField® Panels with ForceField® Seam Tape Plus
- Helps provide a continuous air- and water-resistive barrier
- Backed by a 10-year limited warranty from Georgia-Pacific<sup>1</sup>
- May be exposed to normal weather conditions for up to 180 days during installation

### ForceField Weather Barrier System for Sloped Roofs:

- Use ForceField® Panels with ForceField® Premium Tape
- Helps provide a continuous air- and water-resistive barrier
- Backed by a 10-year limited warranty from Georgia-Pacific<sup>1</sup>
- May be exposed to normal weather conditions for up to 90 days during installation



<sup>1</sup>Visit Warranty.GPForceField.com for full warranty details.

## START STRONG WITH SHEATHING

### ForceField® Panels

An engineered structural wood sheathing panel with an enhanced overlay that helps keep water out.

- Protect the full structure from walls to sloped roofs
- Install like standard oriented strand board (OSB) or plywood sheathing
- Greater than 90% drainage efficiency\*
- Use with accessories for faster dry-in
- Ideal for residential, multifamily and light commercial construction

**Panel Size:** 4x8' | 4x9' | 4x10'



## ADD SYSTEM ACCESSORIES

### ForceField® Seam Tape Plus

A high-quality, pressure-sensitive seam tape that is recommended for treating wall joints and helps contribute to the continuity of the weather barrier.

- Seals wall seams and joints against air and water infiltration
- Proprietary adhesive technology on a high-performance polypropylene film
- Thin and easy to work with, yet durable and strong
- Offers excellent tear and impact resistance
- Can be used to treat wall penetrations and rough openings
- UV- and weather-resistant, and may be applied in temperatures as low as 20°F
- Over 600% elongation per ASTM D1970, allowing for movement



**Roll Size:** 3.5" wide x 90' long

**Thickness:** Minimum 0.006"

**Packaging:** 12 rolls per case

### ForceField® Flex Flashing Tape

A conformable, peel-and-stick flashing tape for use around windows and on other curved and rough openings.

- Seals curved openings and window sill pan flashing on walls
- Two-ply oriented high-density film mated to a premium butyl rubber adhesive and release sheet
- High-performance butyl is designed to maintain the continuity of the air- and water-resistive barrier



**Roll Size:** 6" wide x 75' long | 9" wide x 75' long

**Thickness:** Minimum 0.012"

**Packaging:** 2 rolls per case

### ForceField® Premium Tape

A high-performance, self-adhered flashing tape used to treat sloped roof joints and seams. Made with an acrylic adhesive and a proprietary film, this tape offers exceptional durability and tear resistance once installed.

- Seals sloped roof seams and joints against air and water infiltration
- Excellent conformability for bonding around curves and corners
- High-performance film offers tear and impact resistance
- Compatible with many sealants
- May be applied in temperatures as low as 20°F
- AAMA 711-13 compliant

**Roll Size:** 3.75" wide x 90' long

**Thickness:** Minimum 0.0145"


**Packaging:** 12 rolls per case



\*When tested per ASTM 2273 for wall applications.

For a complete list of accessories, please visit GPForceField.com.

Visit [GPForceField.com](https://www.gpforcefield.com) or call 800-284-5347 to learn how ForceField® Weather Barrier System fits the unique needs of your residential projects.



**GP** Georgia-Pacific  
**ForceField**  
WEATHER BARRIER SYSTEM

[GPForceField.com](http://GPForceField.com)

800-284-5347

©2021 Georgia-Pacific. All rights reserved. Unless otherwise noted,  
all trademarks are owned by or licensed to GP Gypsum LLC.  
04/21. Lit Item# 622028