



BLITZ

WHEN THE JOB DEMANDS
POWER AND CONFIDENCE

1-800-FOR-HYTORC

HYTORC

HYTORC.COM

TACKLE MORE JOBS WITH ONE VERSATILE TOOL.

The **HYTORC BLITZ** has the accuracy and repeatability required for your biggest projects. Compatible with conventional bolting, the HYTORC Washer and HYTORC Nut systems. Discover how this electric torque tool can simplify your bolting operations while delivering the power and precision your work demands.



ALL DAY POWER

Plug the BLITZ tool in and keep bolting until the job is done.






SUPERIOR TORQUE STRENGTH

Effortlessly bolt up to 15,000 ft.-lbs. (20,337 Nm).

UP-TO-DATE DATA

See real-time readings plus operational information, including torque and angle, admin levels, and more.





STREAMLINE BOLTING

The 7" touchscreen and intuitive UI make it easy, like using an app on your phone or tablet.




EXCELLENT RECORDKEEPING

Capture data at both the toolhead and control box, giving you traceable records.

BIG TOOL. BIG TORQUE. STAY PLUGGED IN WITH THE HYTORC BLITZ.

FULL SPECIFICATIONS



LEGEND: H = HEIGHT W = WIDTH L = LENGTH D = DIAMETER

CONFIGURATION	H		W		L		D		SQUARE DRIVE	WEIGHT*		TORQUE MIN		TORQUE MAX	
	in	mm	in	mm	in	mm	in	mm		lbs	kg	ft-lbs	Nm	ft-lbs	Nm
BLTZ-S-10K	27.9	709.0	17.3	439.0	6.9	174.0	4.3	108.0	1-1/2	60.4	27.4	1,000	1,356	10,000	13,558
BLTZ-S-15K	28.9	735.0	17.3	439.0	6.9	174.0	5.3	134.0	2-1/2	77.4	35.1	1,500	2,034	15,500	21,015
BLTZ-S-CTRL - US BLTZ-S-CTRL - EU	9.4	239.4	15.6	397.4	20.1	509.3	N/A	N/A	N/A	28.0	12.7	N/A	N/A	N/A	N/A
BLTZ-S-CABLX	N/A	N/A	N/A	N/A	196.9	5,000.0	N/A	N/A	N/A	8.0	3.6	N/A	N/A	N/A	N/A

ACCESSORIES

PART NUMBER	KIT CONTENTS	PART NUMBER	KIT CONTENTS
AV 10-03	Reaction Arm, 10K (Optional with BLTZ-S-10K)	BLTZ-S-FLFT	Forward Lift Handle Assembly (Optional)
AV 20-03	Reaction Arm, 15K (Optional with BLTZ-S-15K)	BLTZ-S-LHSW	Lh Handlebar Switch Assembly (Optional)
BLTZ-S-RHMI	Remote HMI (Optional)	P004258	Lifting Adapter (Included)
BLTZ-S-PEND	Pendant Assembly (Optional)	P004261	Guard Rail Pull Adapter (Included)

A complete kit includes the toolhead, control case with power cord, and cable set. Contact your HYTORC Sales Representative for details.

SCAN TO SEE ALL PRODUCT FEATURES



HYTORC owns all content, copyrights, trademarks and patents in this document. © 2026 HYTORC. Any unauthorized use or distribution of any material from this document is strictly prohibited.

HYTORC

Headquarters:
333 Route 17 N., Mahwah, NJ 07430
+1-201-512-9500

Contact:
1-800-FOR-HYTORC
info@hytorc.com

Online:
hytorc.com