

Three Levels

for installations that fit any budget.

Raptor provides superior performance and design at entry level price points



VICE SERIES

Raptor's entry level products give you quality accessories at amazing prices!



MID SERIES

The Mid Series gives you quality materials for upgraded audio performance!



PRO SERIES

The best quality products are used in the Pro Series designs for the ultimate in audio!



PRO SERIES AUDIO

- Dual-twist
- Compact tip design
- Flexible construction

2 CH	1.5'	0.4m	R5R18IN
2 CH	3'	0.9m	R5R3
2 CH	6'	1.8m	R5R6
2 CH	10'	3.0m	R5R10
2 CH	14'	4.2m	R5R14
2 CH	17'	5.1m	R5R17
2 CH	20'	6.1m	R5R20
2 CH (1F-2M)	6"	0.15m	R5Y1
2 CH (1M-2F)	6"	0.15m	R5Y2
4 CH	17'	5.1m	R5R174



PRO SERIES AUDIO BARREL CONNECTORS

Female to Female	PAIR	RFF
Male to Male	PAIR	RMM
Male to Female RIGHT ANGLE	PAIR	RMFR



MID SERIES AUDIO

- Dual-twist
- Compact tip design
- Flexible construction

2 CH	1.5'	0.4m	R4R18IN
2 CH	3'	0.9m	R4R3
2 CH	6'	1.8m	R4R6
2 CH	10'	3.0m	R4R10
2 CH	14'	4.2m	R4R14
2 CH	17'	5.1m	R4R17
2 CH	20'	6.1m	R4R20
2 CH (1F-2M)	6"	0.15m	R5Y1
2 CH (1M-2F)	6"	0.15m	R4Y2
4 CH	17'	5.1m	R4R174
6 CH	17'	5.1m	R4R176






VICE SERIES AUDIO

- Coaxial copped shielded
- Compact tip design
- Flexible construction

2 CH	1.5'	0.4m	R3R18IN
2 CH	3'	0.9m	R3R3
2 CH	6'	1.8m	R3R6
2 CH	10'	3.0m	R3R10
2 CH	14'	4.2m	R3R14
2 CH	17'	5.1m	R3R17
2 CH	20'	6.1m	R3R20
2 CH (1F-2M)	6"	0.15m	R3Y1
2 CH (2F-1M)	6"	0.15m	R3Y2
4 CH	17'	5.1m	R3R174




R2 AUDIO BULK SERIES

- Coaxial copped shielded
- Compact tip design
- Available in single or 10-pack

2 CH	1.5'	0.4m	R2R18IN	R2R18IN-10
2 CH	3'	0.9m	R2R3	R2R3-10
2 CH	6'	1.8m	R2R6	R2R6-10
2 CH	10'	3.0m	R2R10	R2R10-10
2 CH	14'	4.2m	R2R14	R2R14-10
2 CH	17'	5.1m	R2R17	R2R17-10
2 CH	20'	6.1m	R2R20	R2R20-10
2 CH	25'	7.6m	R2R25	R2R25-10
2 CH (1F-2M)	6"	0.15m	R2Y1	R2Y1-10
2 CH (2F-1M)	6"	0.15m	R2Y2	R2Y2-10
4 CH	17'	5.1m	R2R174	-----

10-PACK





POWER CABLE

OXYGEN-FREE COPPER *PRO SERIES*

1/0 GAUGE

25'	BLACK	R51-O-25B
25'	RED	R51-O-25R

4 GAUGE

100'	BLACK	R5BK4-100
100'	RED	R5R4-100

8 GAUGE

250'	RED	R58-250R
------	-----	----------



POWER CABLE

COPPER-CLAD ALUMINUM *MID SERIES*

1/0 GAUGE

25'	BLACK	R4B0-25
25'	RED	R4R0-25
25'	BLUE	R4BL0-25

4 GAUGE

100'	BLACK	R4BK4-100
100'	RED	R4R4-100
100'	BLUE	R4BL4-100

8 GAUGE

250'	BLACK	R4BK8-250
250'	RED	R4R8-250

10 GAUGE

250'	BLACK	R4BK10-250
250'	RED	R4R10-250





POWER CABLE

COPPER-CLAD ALUMINUM *VICE SERIES*

4 GAUGE

100' RED R3R4-100

8 GAUGE

250' BLACK R3BK8-250

10 GAUGE

250' BLACK R3BK10-250



SPEAKER WIRE

OXYGEN-FREE COPPER *PRO SERIES*

14 AWG 100' SPOOL R5SW14-100



SPEAKER WIRE

COPPER-CLAD ALUMINUM *MID SERIES*

10 AWG	50'	SPOOL	RSW10-50
12 AWG	50'	SPOOL	RSW12-50
12 AWG	100'	SPOOL	RSW12-100
14 AWG	50'	SPOOL	RSW14-50
14 AWG	100'	SPOOL	RSW14-100
16 AWG	50'	SPOOL	RSW16-50
16 AWG	100'	SPOOL	RSW16-100
16 AWG	500'	SPOOL	RSW16-500
18 AWG	50'	SPOOL	RSW18-50
18 AWG	100'	SPOOL	RSW18-100
18 AWG	500'	SPOOL	RSW18-500



BATTERY TERMINALS

SATIN NICKEL-PLATED PRO SERIES

(2) 1/0 or 4 AWG output

(2) 8 AWG output

POSITIVE BATTERY TERMINAL - **RBT**

NEGATIVE BATTERY TERMINAL - **RBTN**



DIGITAL BATTERY TERMINAL

SATIN NICKEL-PLATED PRO SERIES

Digital voltage meter on positive terminal

(1) 1/0 AWG output

(1) 4 AWG output

(2) 8 AWG output

NEGATIVE BATTERY TERMINAL - **RBTDN**



GM SIDE POST BATTERY POST ADAPTOR

24K GOLD-PLATED MID SERIES

Fits GM side-post terminals

SHORT POST ADAPTOR - **RGMS**

LONG POST ADAPTOR - **RGML**



5/16" WING NUT BATTERY TERMINALS

24K GOLD-PLATED PRO SERIES

POSITIVE BATTERY TERMINAL - **RBTW**

NEGATIVE BATTERY TERMINAL - **RBTWN**





ANL FUSE HOLDER

PRO SERIES

- 1/0 or 4 AWG input/output
- 24K gold-plated
- High current capacity
- Water-resistant
- All 3mm Allen screws

RANL



MANL FUSE HOLDER

PRO SERIES

- 4 or 8 AWG input/output
- 24K gold-plated
- High current capacity
- Water-resistant
- All 3mm Allen screws

RMANL



AGU FUSE HOLDER

PRO SERIES

- 4 or 8 AWG input/output
- 24K gold-plated
- High current capacity
- Water-resistant
- All 3mm Allen screws

RAGU



ANL FUSE HOLDER

PRO SERIES

- 1/0 or 4 AWG input/output
- 24K gold-plated
- High current capacity
- All 3mm Allen screws

RANL1





MINI ANL FUSE HOLDER

PRO SERIES

- 4 or 8 AWG input/output
- 24K gold-plated
- High current capacity
- All 3mm Allen screws

RMANL1



AGU FUSE HOLDER

PRO SERIES

- 4 or 8 AWG input/output
- 24K gold-plated
- High current capacity
- All 3mm Allen screws

RAGU1



MINI ANL/ANL FUSE HOLDER

PRO SERIES

- 1/0 or 4 AWG input/output
- 2 Mini ANL fuses or 1 ANL fuse
- 24K gold-plated
- High current capacity
- All 3mm Allen screws

RM2ANL1





ANL 2-POSITION FUSED DISTRIBUTION BLOCK *PRO SERIES*

- (1) 1/0 or 4 AWG input
- (2) 4 or 8 AWG outputs
- 24K gold-plated
- Positive distribution
- All 3mm Allen screws

RANL2



MANL 2-POSITION FUSED DISTRIBUTION BLOCK *PRO SERIES*

- (1) 3-position 1/0 or 4 AWG input
- (2) 4/8 AWG outputs
- 24K gold-plated
- All 3mm Allen screws

RMANL2



AGU 2-POSITION FUSED DISTRIBUTION BLOCK *PRO SERIES*

- (1) 3-position 4 AWG input
- (2) 8 AWG outputs
- 24K gold-plated
- Positive distribution
- All 3mm Allen screws

RAGU2





MANL 4-POSITION FUSED DISTRIBUTION BLOCK *PRO SERIES*

- (3) 1/0 or 4 AWG input
- (4) 4/8 AWG outputs
- 24K gold-plated
- All 3mm Allen screws

RMANL4



MANL FUSED 2-WAY ALL-IN-ONE DISTRIBUTION BLOCK *PRO SERIES*

- (1) 1/0 input for power and ground
- (2) 4/8 MANL fused power outputs
- (2) 4/8 ground outputs
- 24K gold-plated
- All 3mm Allen screws

RMANLD





2-POSITION GROUND

DISTRIBUTION BLOCK PRO SERIES

- (1) 1/0 or 4 AWG input
- (2) 4 or 8 AWG outputs
- 24K gold-plated
- All 3mm Allen screws

RDB3



4-POSITION GROUND

DISTRIBUTION BLOCK PRO SERIES

- (1) 4 AWG input
- (4) 8 AWG outputs
- 24K gold-plated
- All 3mm Allen screws

RDB1



4-POSITION GROUND

DISTRIBUTION BLOCK PRO SERIES

- (1) 1/0 or 4 AWG input
- (2) 4 or 8 AWG outputs
- 24K gold-plated
- All 3mm Allen screws

RDB2





4.0 FARAD CAPACITOR

DIGITAL TOP PRO SERIES

- Digital voltage monitor
- Electronic protection
- 20V working voltage/24V surge
- E.S.R. less than .002 ohm

R5CAP



2.5 FARAD CAPACITOR

DIGITAL TOP MID SERIES

- Digital voltage monitor
- 24K gold-plated terminals
- 20V working voltage/24V surge
- E.S.R. less than .002 ohm

R4CAP





RETAIL PACKAGING LOOKS GREAT IN YOUR STORE





3800W 1/0 AWG AMP KIT WITH RCA CABLE PRO SERIES

- Oxygen-free copper
- 17' Pro Series dual-twist RCA cable
- 17' 1/0 AWG OFC power cable
- 3' 1/0 AWG OFC ground cable
- (1) ANL fuse holder with 200 AMP fuse
- (4) Nickel-plated 1/0 AWG ring terminals hardware included

R5A01



1500W 4 AWG AMP KIT WITH RCA CABLE PRO SERIES

- Oxygen-free copper
- 17' Pro Series dual-twist RCA cable
- 17' 4 AWG OFC power cable
- 3' 4 AWG OFC ground cable
- 17' 18 AWG OFC turn-on wire
- (1) MANL fuse holder with 100 AMP fuse
- (2) Nickel-plated 4 AWG ring terminals hardware included

R5A4



600W 8 AWG AMP KIT WITH RCA CABLE PRO SERIES

- Oxygen-free copper
- 17' Pro Series dual-twist RCA cable
- 17' 8 AWG OFC power cable
- 3' 8 AWG OFC ground cable
- 17' 18 AWG OFC turn-on wire
- (1) AGU fuse holder with 40 AMP fuse
- (2) Nickel-plated 8 AWG ring terminals hardware included

R5A8





950W 4 AWG AMP KIT

WITH RCA CABLE *MID SERIES*

- Spec copper-clad aluminum
- 17' Mid Series dual-twist RCA cable
- 17' 4 AWG CCA power cable
- 3' 4 AWG CCA ground cable
- 17' 18 AWG turn-on wire
- (1) MANL fuse holder with 60 AMP fuse
- (2) Nickel-plated 4 AWG ring terminals hardware included

R4A4



360W 8 AWG AMP KIT

WITH RCA CABLE *MID SERIES*

- Spec copper-clad aluminum
- 17' Mid Series dual-twist RCA cable
- 17' 8 AWG CCA power cable
- 3' 8 AWG CCA ground cable
- 17' 18 AWG turn-on wire
- (1) AGU fuse holder with 30 AMP fuse
- (2) Nickel-plated 8 AWG ring terminals hardware included


R4A8



DONT GET RATTLED, GET **Ballistic**[®]

SOUND DAMPING

Ballistic is a unique butyl rubber composite for vibration damping and is developed to deliver incredible performance at entry level price point. The light weight construction allows the material to stick great and work in a variety of applications. See our available products on page 66!



SIZE MATTERS

Ballistic Sound Damping Material is thicker and has more mass per ft² than any other damping product available. Ballistic is up to 30% thicker than the other guy's stuff. And we all know, the thicker material and more mass per ft² the more effective the product will be at eliminating road noise and vibrations.



NO SMELL

Most sound damping materials smell like a road paving project! Ballistic is specifically designed to eliminate this odor problem without sacrificing effectiveness. Don't just take our word for it, pick up the other guy's stuff and take a big whiff.



1000W 4 AWG AMP KIT WITH RCA CABLE *VICE SERIES*

- Copper-clad aluminum
- 20' speaker wire
- 17' Vice Series twisted RCA cable
- 17' 4 AWG CCA power cable
- 3' 4 AWG CCA ground cable
- 17' 18 AWG turn-on wire
- (1) ANL fuse holder with 100 AMP fuse
- (2) Nickel-plated 4 AWG ring terminals hardware included

R3A4



600W 8 AWG AMP KIT WITH RCA CABLE *VICE SERIES*

- Copper-clad aluminum
- 20' speaker wire
- 17' vice series twisted RCA cable
- 17' 8 AWG CCA power cable
- 3' 8 AWG CCA ground cable
- 17' 18 AWG turn-on wire
- (1) Mini ANL fuse holder with 60 AMP fuse
- (2) Nickel-plated 8 AWG ring terminals hardware included

R3A8





1500W 1/0 AWG R2 BULK AMP KIT

BULK SERIES

- 17' CCA power cable
- 3' CCA ground cable
- 17' RCA cable
- 20' speaker cable
- (1) ANL fuse holder with 150 AMP fuse
- Hardware included

R2AK0



1000W 4 AWG R2 BULK AMP KIT

BULK SERIES

- 17' CCA power cable
- 3' CCA ground cable
- 17' RCA cable
- 20' speaker cable
- (1) ANL fuse holder with 100 AMP fuse
- Hardware included

R2AK4



600W 8 AWG R2 BULK AMP KIT

BULK SERIES

- 17' CCA power cable
- 3' CCA ground cable
- 17' RCA cable
- 20' speaker cable
- (1) Mini ANL fuse holder with 60 AMP fuse
- Hardware included

R2AK8





REDUCER VICE SERIES

2-PACK

0 to 4 GAUGE REDUCER

RR04

4 to 8 GAUGE REDUCER

RR08



HEAVY-DUTY RING TERMINAL 24K GOLD-PLATED MID SERIES

1/0 AWG

SINGLE-PACK

1/0 AWG RING TERMINAL

RT0HD

4 AWG

SINGLE-PACK

4 AWG RING TERMINAL

RT4HD



GOLD RING TERMINALS INCLUDES 10 RED & 10 BLACK VINYL COVERS MID SERIES

1/0 AWG RING TERMINALS

20-PACK

3/8" RING TERMINAL

R038RT

5/16" RING TERMINAL

R0516RT

1/4" RING TERMINAL

R114RT

4 AWG RING TERMINALS

20-PACK

3/8" RING TERMINAL

R438RT

5/16" RING TERMINAL

R4516RT

1/4" RING TERMINAL

R414RT

8 AWG SPADE
BARRIER TERMINALS

20-PACK

#10 RING TERMINAL

R810ST



SIZE CHART

ACTUAL SIZES SHOWN TO ASSIST IN ORDERING



#10



1/4"



5/16"



3/8"



AGU FUSES

NICKEL-PLATED MID SERIES

5-PACK

40 AMP FUSES	RAGU40-5
50 AMP FUSES	RAGU50-5
60 AMP FUSES	RAGU60-5
80 AMP FUSES	RAGU80-5




MANL FUSES

NICKEL-PLATED MID SERIES

2-PACK

30 AMP FUSES	RMANL30
60 AMP FUSES	RMANL60
80 AMP FUSES	RMANL80
100 AMP FUSES	RMANL100
150 AMP FUSES	RMANL150




ANL FUSES

NICKEL-PLATED MID SERIES

2-PACK

100 AMP FUSES	RANL100
150 AMP FUSES	RANL150
200 AMP FUSES	RANL200
250 AMP FUSES	RANL250



CIRCUIT BREAKERS

- Manual reset button
- Gold-plated hardware
- Resistant to corrosion

SINGLE-PACK

70 AMP CIRCUIT BREAKER	RCB70
100 AMP CIRCUIT BREAKER	RCB100
140 AMP CIRCUIT BREAKER	RCB140
180 AMP CIRCUIT BREAKER	RCB180
200 AMP CIRCUIT BREAKER	RCB200





POWER NOISE FILTER *MID SERIES*

- Maximum noise reduction
- Easy hook up
- Compact design

RNF



2-CHANNEL GROUND LOOP ISOLATOR *MID SERIES*

- Compact design

RGLI



2-CHANNEL LINE OUTPUT CONVERTER *MID SERIES*

- Handles up to 30 watts of input power
- Compact design

RLOC



2-CHANNEL LINE OUTPUT CONVERTER *MID SERIES*

- Handles up to 60 watts of input power
- Compact design

RLOC60



4-CHANNEL LINE OUTPUT CONVERTER *MID SERIES*

- Handles up to 60 watts of input power
- Compact design

RLOC60-4



4-CHANNEL LINE OUTPUT CONVERTER *NON-ADJUSTABLE MID SERIES*

- Handles up to 30 watts of input power
- Compact design

RLOC-NA





RAPTOR SPOOL DISPLAY

- Black powder-coated metal frame for high strength
- Holds up to (12) spools of Raptor spool cable & speaker wire (not included)
- Raptor header graphic included
- Dimensions: 57.09" H x 31.89" W x 27.95" D

SPOOLRACK-TSRP




RAPTOR WIRE SPOOL DISPLAY STAND

- Black powder-coated metal frame for high strength
- Holds six spools (not included)
- Dimensions: 66" H x 36" W

RT-SWSTAND

DISPLAY STAND GRAPHICS

RT-SWGRAPHIC



RAPTOR SLATWALL SPOOL HOLDER

- Black powder-coated metal
- Holds one spool (not included)
- Mount on slatwall or sits on shelf / floor
- Dimensions: 12" H x 11.125" W x 11.75 D

RP-SLATPOOL



RAPTOR SLATWALL HEADER

- High-quality printed logo graphic
- Lightweight rigid material
- Dimensions: 48"x8"

RP-SLTHDR



RAPTOR **BANNER**

- High-quality printed banner
- Includes reinforced holes for hanging
- Dimensions: 48"x24"

RP-BANR



RAPTOR OUT OF STOCK **CARD**

- Don't be left with empty shelves!
- 25 Pack

RT-OUTOFSTCKCD

RAPTOR **LANYARD**

RT-LANYARD



RAPTOR **DECALS**

- Small universal top decal

RT-700TOP

- Small universal bottom decal

RT-700BOT

- Large top decal

RT-LARGETOP



RAPTOR **STICKER**

- Silver die-cut vinyl
- Dimensions: 4.25"x1"

RP-STICKER



RAPTOR **T-SHIRT**

- Black

Large - RP-SHRT13-L

X-Large - RP-SHRT13-XL

XX-Large - RP-SHRT13-XXL

RAPTOR LARGE **DISPLAY**

- Large, black powder-coated metal for high strength
- Metal pegboard + (50) hooks
- Dimensions: 78" H X 39.5" W X 13.5" D

RT-LARGETOP-RK

- | | | | |
|-----------------|----------------|---------------|----------------|
| • PARTS: | • RMANL100 x 2 | • R4CAP | • R5Y2F1M x 2 |
| • R3R3 x 2 | • R4CAP | • R4MANL x 2 | • R5AK4 x 2 |
| • R3R6 x 2 | • R4R3 x 2 | • R42AGU x 2 | • R5AK8 x 2 |
| • R3R10 x 2 | • R4R6 x 2 | • R4DB1 x 2 | • R5CAP |
| • R3R14 x 2 | • R4R10 x 2 | • R4DB3 x 2 | • R5MANL x 2 |
| • R3R17 x 2 | • R4R14 x 2 | • R5R3 x 2 | • R52MANL x 2 |
| • R3R417 x 2 | • R4R17 x 2 | • R5R6 x 2 | • R5DB3 x 2 |
| • R3AK4 x 2 | • R4R417 x 2 | • R5R10 x 2 | • R512MANL x 2 |
| • R3AK8 x 2 | • R4Y1F2M x 2 | • R5R14 x 2 | • RACK750 |
| • R3CR1 x 2 | • R4Y2F1M x 2 | • R5R17 x 2 | • RT-LARGETOP |
| • R3CR2 x 2 | • R4AK4 x 2 | • R5R417 x 2 | |
| • RMANL60 x 2 | • R4AK8 x 2 | • R5Y1F2M x 2 | |



BUILD YOUR OWN!

LARGE RACK **WITH GRAPHICS**

- Products sold separately
- Dimensions: 78" H X 39.5" W X 13.5" D

Large Display + Hooks - **RACK750**

- Dimensions:

Large Top logo decal - **RT-LARGETOP**



R3



R4



R5

12" **WIRE SAMPLE**

- A variety of types and gauges
- Actual samples may vary

R3 - **SAMPLE-R3**

R4 - **SAMPLE-R4**

R5 - **SAMPLE-R5**



RAPTOR SKINNY *DISPLAY*

- Includes Vice Series rack, top logo decal, and "UPGRADED" decal
- Black powder-coated metal
- Metal pegboard + (50) hooks
- Dimensions each: 72" H x 20" W x 13.5" D

RT-UPGRADED-RK

- PARTS:**
- | | | |
|---------------|--------------|----------------|
| • R3R18IN x 2 | • R3R417 x 2 | • RMANL60 x 2 |
| • R3R3 x 2 | • R3R20 x 2 | • RMANL100 x 2 |
| • R3R6 x 2 | • R3AK4 x 2 | • R4CAP |
| • R3R10 x 2 | • R3AK8 x 2 | • RT-UPGRADED |
| • R3R14 x 2 | • R3CR1 x 2 | |
| • R3R17 x 2 | • R3CR2 x 2 | |

RAPTOR SKINNY *DISPLAY*

- Includes Mid Series rack, top logo decal, and "ENHANCED" decal
- Black powder-coated metal
- Metal pegboard + (50) hooks
- Dimensions each: 72" H x 20" W x 13.5" D

RT-ENHANCED-RK

- PARTS:**
- | | |
|---------------|---------------|
| • R4R3 x 2 | • R4AK8 x 2 |
| • R4R6 x 2 | • R4CAP |
| • R4R10 x 2 | • R4MANL x 2 |
| • R4R14 x 2 | • R42AGU x 2 |
| • R4R17 x 2 | • R4DB1 x 2 |
| • R4R417 x 2 | • R4DB3 x 2 |
| • R4Y1F2M x 2 | • RACK700 |
| • R4Y2F1M x 2 | • RT-ENHANCED |
| • R4AK4 x 2 | |

RAPTOR SKINNY *DISPLAY*

- Includes Pro Series rack, top logo decal, and "ULTIMATE" decal
- Black powder-coated metal
- Metal pegboard + (50) hooks
- Dimensions each: 72" H x 20" W x 13.5" D

RT-ULTIMATE-RK

- PARTS:**
- | | |
|---------------|----------------|
| • R5R3 x 2 | • R5AK4 x 2 |
| • R5R6 x 2 | • R5AK8 x 2 |
| • R5R10 x 2 | • R5CAP |
| • R5R14 x 2 | • R5MANL x 2 |
| • R5R17 x 2 | • R52MANL x 2 |
| • R5R417 x 2 | • R5DB3 x 2 |
| • R5Y1F2M x 2 | • R512MANL x 2 |
| • R5Y2F1M x 2 | • RACK700 |
| | • RT-ULTIMATE |

BUILD YOUR OWN!

SKINNY RACK *WITH GRAPHICS*

- Products sold separately
- Dimensions each: 72" H x 20" W x 13.5" D

Skinny Display + Hooks - RACK700

Series Topper, Top Logo Decal and Bottom Decal

- Dimensions each:

Vice Series Topper + Top Logo Decal + "Upgraded" Decal - **RT-UPGRADED**

Mid Series Topper + Top Logo Decal + "Enhanced" Decal - **RT-ENHANCED**

Pro Series Topper + Top Logo Decal + "Ultimate" Decal - **RT-ULTIMATE**



TERMS & CONDITIONS

TERMS

Net 30 days from date of invoice on approved accounts. Minimum order: \$50 per invoice, orders less than required minimum incur a \$20 service charge.

FREIGHT

Freight on board (F.O.B.) from point of shipment. Freight will be charged on all drop-shipment orders.

CREDIT

In order to establish a credit line with Metra, an application for credit must be submitted listing a minimum of five (5) trade references and a bank with their addresses and phone numbers and must be signed by a principal or authorized officer of the company. A credit line will be established by our credit manager and must be maintained in a current status according to our terms (net 30 days). Credit not established or revoked requires remittance with order. Returned checks are subject to a fee of \$32.00.

RESALE TAX EXEMPTION CERTIFICATE

CA, TX, KY, NJ & FL customers must provide a valid resale card before an order can be placed.

CLAIMS

Title and risk of loss passes to buyer at F.O.B. shipping point and all claims must be filed with carrier. Any discrepancies must be reported to Metra within ten (10) days of receipt of shipment.

RETURNS

All sales are final. No returns or exchanges will be allowed without prior written authorization from Metra. All returns are subject to a 20% handling charge, must be in a salable condition and must have been purchased within sixty (60) days of return request. No stock balancing permitted. Copies of invoices must be mailed in advance for any return authorization (R.A.).

LIMITED WARRANTY

Metra warrants all of its products to be free from defects in material and workmanship for a period of 1 Year from date of shipment. Metra will, at its option, repair, replace, or allow credit on any part which, in Metra's opinion, is found defective under normal use. Warranty void on any items misused, altered in any way, tampered with or serviced by anyone other than Metra Electronics. This warranty of merchantability of fitness neither assumes or authorizes any other person to assume for it, any other liability in connection with its products. In no event shall we be liable for any incidental or consequential damages, or do we assume any other liability for any incidental or consequential damages, or do we assume any other liability except provided herein.

Metra Electronics® warrants this product only to the original purchaser.

BACK ORDERS

If an item is temporarily unavailable for immediate shipment, we will backorder the item & ship as soon as possible from the nearest available warehouse, unless otherwise instructed. Metra reserves the right to make changes in or deletions of products or prices without prior notice.

*Metra will not assume any responsibility for damages to person or property due to incorrect interpretation of the material in this publication. Metra is not responsible for typographical or printing errors. Reproductions of editorial or pictorial content is strictly prohibited without prior consent from Metra.



WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

T-SPEC®

INSTALLATION ACCESSORIES
RAPTOR

Ballistic®
SOUND DAMPING



facebook.com/MetraElectronics



instagram.com/MetraElectronics



youtube.com/MetraElectronics



Order Anytime Day or Night at MetraDealer.com



Download all our New Catalogs at MetraOnline.com

Metra
THE INSTALLER'S CHOICE

MetraOnline.com

MetraDealer.com

ORDERS: 386.257.2956

CORPORATE HEADQUARTERS

Metra Electronics Corporation

460 Walker Street

Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186

Metra 12volt & International Sales:

386.257.2956

Sales Fax: 386.258.3940